

P³ ARCHITECTURAL SOLUTIONS

P³ Architectural Solutions



**All India Exclusive Distributor
For**

**Timura-100% Real Wooden Floor For Indoor And Outdoor , Fencing And Façade
From Germany**

TIMURA

TERRACE

FACADE

PARQUET

FENCING

CLASSIC LINE

EFICIENT
LINE

OPEN LINE

MODERN LINE

RESISTANT
LINE

CLOSED LINE

COMFORT
LINE



- Timura is brand from **Germany**.
- Timura deals into **outdoor terrace collection, outdoor façade, Indoor parquet and fencing**.
- Timura provides **wide range of colours, structure and surfaces**.



- Using its **patented vacuum press drying method (vacu3)**, timura transforms and refines **native woods into thermo wood**.
- Depending on the wood type, timura guarantees durability class 1 or 2.
- **Innovative 3D structuring** offers huge creative freedom in the design when designing wood surfaces.





THE ADVANTAGES OF TIMURA THERMO WOOD:

- The **70-ton mechanical pressure** "irons out" the wood panels so that we can guarantee the high dimensional stability of our products
- Environmentally friendly and ecological
- Attractive and elegant colours
- Low contraction and expansion
- Pest-resistant
- Low maintenance

OUTDOOR TERRACE COLLECTION







VILLA, ALGARVE | PORTUGAL



GUBEI ONE PARK, SHANGHAI / CHINA.



NATURRESORT SCHINDELBRUCH | GERMANY.



LURSEEN WERFT | LAEDING TECHNOLOGY, LEADING DESIGN.



INTERIOR DESIGN, NEAR COMER LAKE/ ITALY




GARDENS BY THE BAY, SINGAPORE.



FULCRUM CONDOMINIUM, SINGAPORE.



ROCHE , NEW HEADQUATERS , BASEL | SWITZERLAND.



TELSA , TILBURG | THE NETHERLANDS.

CLASSIC LINE









MODERN LINE







COMFORT LINE






- The advantage of this method is that when it rains or snows water can collect in the space within the substructure and can gradually **evaporate again from there**.
- The circulation of air means that the water that has been absorbed by the terrace flooring can escape again quickly which also **protects against rot**.
- If terrace flooring is **oiled** these protects from wearing and preserves their attractive appearance.

Options for substructure

- Thermo spruce supporting joists
- Aluminium joists



INSTALLATION BY SCREW



- Our Senofix, Terraflex and Gecko attachment systems enable you to secure the terrace flooring invisibly.

Advantages of invisible screw attachment.

- Fixing takes place on substructure.
- Appearance is not adversely affected by invisible screws.
- Can work freely depending on weather conditions.




Optional terrace flooring connectors.

- When the terrace flooring is secured to the substructure there is no need for additional attachment .If preferred, it is also possible to secure the terrace flooring frontally.

OPEN GAP INSTALLATION



TerraFlex




Clipper

OTHER ACCESSORIES FOR DECKING



Terrace support/
adjustable foot



Tension clamp



Koralan® wood oil



Kora® wide brush




Koralan® wood protection



Koralan® wood cleaner



Z-bracket




Substructure connector



Flat spring



Covering profile



Clamping shoe



U-profile

CLOSED GAP INSTALLATION




OUTDOOR FAÇADE COLLECTION











VOLVO OCEAN RACE- SAILING REGATTA / RACE VILLAGE , HONGKONG
STAGE FINISH.



VOLVO OCEAN RACE- SAILING REGATTA / RACE VILLAGE , HONGKONG
STAGE FINISH.



RHENUS LOGISTICS / THE NETHERLANDS.

INFORMATION ABOUT INSTALLATION



- Façade profiles are not attached directly to the wall of the building but are attached to a substructure with an offset.
- Options for the substructure:
 - Joists made from thermo pine
 - Joists made from thermo poplar
- Façade profiles can be secured using visible or invisible screw connections.

INSTALLATION ACCESSORIES FOR FAÇADE – CLIP TIGA



OTHER ACCESSORIES FOR FACADE



Rhombus



Rhombus with Clip JuAn
(Invisible screw attachment)



Folding rhombus
(Invisible screw attachment)



Folding formwork
(Invisible screw attachment)

INDOOR PARQUET COLLECTION





LOUIS VUITTON, LONDON | UNITED KINGDOM.



NATURRESORT SCHINDELBRUCH | GERMANY.



RESTAURANT HOLZEULE , STOLBERG / GERMANY.







INSTALLATION



➤ In order to enjoy the sense of well-being, living with wood and also to experience the structures in a tangible way, **parquet from timura is only given a protective oil finish.**

➤ This allows the wood to "breathe and work", that is, to a degree, absorb moisture and release it again.

➤ If the **rooms are heated**, you should pay attention to **the humidity at a room temperature of 16 to 22 ° C**, the optimum humidity for humans and also **wood is between 40 and 60%.**



➤ The oiled parquet is basically easy to clean, it can be done by **vacuuming** (with a parquet brush), **sweeping** or **moisturizing**.

➤ By **re-oiling** with care oil, the pores of the wood are saturated with oil the parquet gets new shine and the color of the wood becomes more intense again.


➤ For a normal use of the parquet, for example in the living area, an annual post-oiling is recommended and in rooms with a higher load, the parquet should be re-oiled as required.

➤ Before any oil treatment, a parquet floor must be thoroughly **cleaned with a moisturizer** and then allowed to dry for **8 to 12 hours**.



➤ **TIMURA | FENCING**

PROTECT YOUR OUTDOOR LIVING SPACE FROM PRYING EYES.



GARDEN NEAR AMSTERDAM, THE NETHERLANDS.

OPEN LINE








CLOSED LINE











Thank you

We welcome your questions and queries.

Contact us on: +91 98202 54444

Email: info@pcubesolutions.com

Website : www.pcubesolutions.com