

FISHER & PAYKEL
PRODUCT CATALOGUE
2017/18



Fisher & Paykel

A HISTORY OF INNOVATION

Since our founding in 1934, we have grown into a global, design-led company of more than 3,000 people. Designed and engineered in New Zealand, our products are sold in 50 countries around the world. Our design heritage is founded on a pioneering spirit and a culture of curiosity that has challenged conventional appliance design to consistently deliver products tailored to human needs. For us, legacy is about looking into the future, while ensuring what we develop today is aligned to the fundamental principles of sustainable design. We are committed to ongoing research and development. Our culture is one of open innovation, which allows people to work collaboratively to find insights and ideas that connect with our customers and respect our planet.



We live one day at a time.





Cooking
eating
cleaning
washing
drying
hunting
gathering
talking
playing
relaxing.



And then doing it all over again.

Day in, day out.





**TURNING ROUTINES INTO
EXPERIENCES**

Behind every product is a story and that story starts with you. Your home is an expression of who you are and how you live. Our passion is creating better products that turn everyday routines into enjoyable experiences. We understand the dynamic nature of modern living. We deliver products that are adaptable, functional and durable, as well as human. We don't just make things that fit the space provided, we create products that fit the lives lived around them. Live life — we'll take care of the details.



THE SOCIAL KITCHEN

The kitchen is the humble engine room in which we choose to live—where we create, socialise and enjoy the best that life has to offer. Cooking is a social activity. We generally place the key appliances in what we consider to be logical places: the work triangle of hob, sink and fridge. But we no longer cook in straight lines. We don't cook on conveyor belts. Sometimes we assemble, sometimes we bake, sometimes we stir-fry and sometimes we boil. We don't cook the same way every day: we can be a weekday cook and a weekend gourmet. The work triangle limits our creativity. It's not just about efficiency; sometimes it's about fun. Too many cooks may spoil the broth or they may create a wonderful, social and enjoyable meal. Let's reclaim the kitchen. Let's live outside the triangle.



DESIGNED FOR REAL LIFE

At Fisher & Paykel, we are curious about people—how they live, where they live, what they do and how they use things. This is where hidden insights wait to be uncovered. We are curious about not only the function and performance of our products, but also the emotional role they play in people's lives. For us, design is not a self-serving goal—it is a human endeavour to make life a little bit better.

CONTENTS

Cook	16
Built-in Ovens	21
60cm Built-in Oven Range Features	26
Kitchen Companion Products	33
Hobs	47
Freestanding Range Cookers	57
Cooker Hoods	63
Cook Overview	68

Cool	78
ActiveSmart™ Technology	81
CoolDrawer™ Multi-temperature Drawer	83
CoolDrawer™ Multi-temperature Drawer Features	84
Wine Cabinets	86
Built-in French Door Refrigerators	88
Bottom Freezer Refrigerators	94
Recessed Handle Fridge Freezer	97
ActiveSmart™ Features	100
Cool Overview	102

Clean	112
DishDrawer™ Dishwasher Technology	115
DishDrawer™ Dishwashers	116
DishDrawer™ Dishwashers Features	126
Clean Overview	128
Laundry	132
Washing Machine Technology	134
Washing Machines Features	138
Laundry Overview	140

COOK



COOK TO CREATE

We see cooking not as a chore, but a creative act. As more of our lives become virtual and people look for ways to make and create things, we design high-performance tools you can rely on and be creative with, that turn everyday meals into creations. Fisher & Paykel products cater for different patterns of use—whether it's mid week convenience or weekend gourmet, heat and eat or a family feast. We understand everyday life and support the lives lived around our products. Cooking is part of our DNA—one part designer, one part chef. We have a passion for food and we are just as interested in making high-performance ovens that perfect your favourite foods as making the process of cooking more enjoyable. Our insights come from real-world use and then the results are tested in our lab daily, with the aim of inventing technologies that deliver the perfect cooking result.



60CM BUILT-IN OVEN

Welcome to the next generation in Fisher & Paykel Built-in Ovens. Designed specifically for diverse cooking styles, with generous capacity, high performance and a full range of oven functions including vent bake – which offers the ability to control the removal of moisture from the baking or roasting environment for optimum cooking results. An oven's performance can't be measured by a single stand-alone feature and our Built-in Ovens offer a full package of features and functions to deliver optimum results for both cooking and cleaning up afterwards. Built for cooking performance, an intuitive control system allows for precise cooking-mode selection every time these ovens clean up after themselves with a Pyrolytic Self-cleaning function. The sleek lines and design detail mean they are ideally suited to fit with the rest of Fisher & Paykel's coordinated kitchen family, from Hobs to ActiveSmart™ Fridges, DishDrawer™ Dishwashers and CoolDrawer™ Multi-temperature Drawers.

60cm 9 Function Pyrolytic Built-in Oven

Designed for ultimate performance and cooking capability, the 60cm Built-in Oven has a 72L usable capacity. It features cooking functions, a Pyrolytic Self-cleaning mode. Blending minimalist design with durability these ovens match the Fisher & Paykel kitchen series.

1 Perfect Results

The ultra-fast heating and powerful 3kW grill.

2 Sized to Suit

72L of usable capacity makes this oven big enough to cook a turkey and a large tray of roast vegetables.

3 Designed to Match

Finished in black reflective glass and Stainless steel, these elegant, yet durable ovens match the rest of Fisher & Paykel's coordinated kitchen family.

4 Easy Cleaning

No need for harsh chemical cleaners in selected ovens; simply remove the racks and set to Pyrolytic Self-clean.

5 Precise Control

Temperature adjustment is easy with smooth, balanced dial movement. Brilliant halogen lighting, plus a large viewing window reduce the need to open the oven door, improving energy efficiency and cooking results.

6 Safe and Sound

Triple glazed doors are safer and improve energy efficiency by keeping the heat on the inside. An advanced heat-reflective coating and innovative cooling system keeps heat inside the oven.

7 Accessories

This oven includes a two-piece grill set and one aluminium baking tray. Telescopic runners on selected models.





ACTIVE VENTING*

An oven's performance can't be measured by temperature and heat alone — moisture is a vitally important but often neglected factor in the cooking performance of your oven. If your oven holds too much moisture or too little, your gastronomic creation can quickly turn to disaster. That's why the Fisher & Paykel 11 function Built-in Oven features the unique ActiveVent system as well as a full package of features and functions (OB60SL11 only). Fisher & Paykel's ActiveVent system allows you to control the removal or retention of moisture from the baking or roasting environment to optimise both cooking results and energy consumption.

60cm Built-in Oven Range Features

1 ActiveVent System

Food is perfectly cooked with the lowest possible amount of energy using the ActiveVent system (available on selected models). The ActiveVent system has 11 oven functions that optimise the balance between excellent cooking performance, condensation management and energy consumption. Full temperature is reached quickly with a rapid heat-up feature and a powerful 3200W grill that gives you an even and quick result, perfect for browning and caramelising.



2 Large Oven

Sized to fit the food you cook, Fisher & Paykel 60cm ovens provide up to 90L total and 77L of usable capacity*. This means you're able to fit a large casserole dish, the family roast and even a pie as well — true multi-shelf cooking. Two shelves can be fully utilised at the same time without hot spots or uneven browning.



3 Elegant Design

Our Built-in Oven series are finished in black reflective glass and Stainless steel that blends elegant, minimalist aesthetic with design for durability. The finishes and handles match the rest of Fisher & Paykel's coordinated kitchen family, from Hobs to ActiveSmart™ Fridges, CoolDrawer™ Multi-temperature Drawers and DishDrawer™ Dishwashers.



4 Pyrolytic Self-cleaning

No need for harsh chemical cleaners in our Pyrolytic Self-cleaning models as food residues inside the oven walls are naturally broken down at a very high temperature, leaving only a light ash that can be removed with a damp cloth. Non-pyrolytic models in our line-up have catalytic liners that break down oil and fat splashes during normal cooking.




5 Pre-set Oven Functions

This 11 function oven has programmes that include: Bake, Vent Bake, Fan Bake, Classic Bake, Pastry Bake, Fan Forced, Roast, Grill, Fan Grill, Warm and Self-clean. Each with pre-set temperatures that can be manually adjusted.



6 Safety Features

This 60cm Built-in Oven features a beautifully balanced, lighter and less bulky triple glazed door for safety. An exceptional cooling system allows for a Three pane glass door rather than heavier four panes, while still achieving CoolTouch status to ensure it's safe to touch externally. Sliding hot oven dishes all the way out of the oven is made safe with full extension shelves. These are designed to integrate with the shelf for quick and easy removal and adjustment.



7 Accessories

The optional rotisserie kit (OB60SL11 only) has a 5.5kg capacity and ensures delicious roasts are browned evenly as the surface is continuously basted. Prepare the meat on the spit and rotisserie dish, then simply slide it into the oven. To achieve the perfect internal temperature, the meat probe will detect the temperature at the centre of the meat and show it on the control panel. Crafted from heavy-gauge enamelled steel, the three-piece dish system includes a deep roasting dish, splatter tray and grill rack.





60cm 11 Function Pyrolytic Built-in Oven - 77L

Built for performance, an intuitive control system allows for precise cooking-mode selection. Generous internal capacity and offers a Pyrolytic Self-cleaning function*. The sleek lines and design detail match the rest of the Fisher & Paykel Built-in appliance range.

1 Perfect Results

Using the unique ActiveVent system and 11 functions, you can optimise cooking performance, condensation management and energy consumption.

2 Sized to Suit

This is one of the largest 60cm Built-in Oven on the market, providing 90L total and 77L of usable capacity.

3 Designed to Match

Our Built-in Oven range is finished in black reflective glass and Stainless steel, matching the rest of Fisher & Paykel's coordinated kitchen family.

4 Easy Cleaning

No need for harsh chemical cleaners in our Pyrolytic Self-cleaning ovens.

5 Precise Control

Oven functions are pre-set at the touch of a dial while brilliant lighting and a large viewing window reduce the need to open the oven door.

6 Safe and Sound

A clever cooling system allows for a lighter Three pane glass door, while still achieving cool-touch status.

7 Accessories

This oven comes with a heavy-gauge enamelled steel dish system, deep roasting dish, splatter tray, grill rack, two fully telescopic runners, aluminium baking tray and meat probe. Optional rotisserie kit (85109) also available.



60cm Tower Built-in Oven

The Tower Oven delivers outstanding performance and innovative cooking features that make entertaining for small or large groups effortless. This visually impressive oven is finished in black reflective glass and Stainless steel, blending minimalist design with durability.

1 Perfect Results

Food is perfectly cooked in either or both of the two ovens, each with seven oven functions including Fan Grill and the Fan Bake Convection cooking system that provides even heat distribution for multi-shelf cooking. Each oven has a powerful 3000W grill that gives you an even and fast result.

2 Sized to Suit

Entertaining for small or large groups is effortless with these two matching 60cm wide ovens.

3 Designed to Match

All of the models in our Built-in Oven series are finished in black reflective glass and Stainless steel, to match the Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

Catalytic Self-cleaning liners in both ovens break down oil and fat splashes. Not only can the oven doors be easily removed, but so can the glass making cleaning simple.

5 Precise Control

Six shelf positions give you a range of options for organising the inside of the oven. Large windows reduce the need to open the oven door, providing the ultimate cooking result and improving energy efficiency.

6 Safe and Sound

Comes with four pairs of Easy-glide telescopic runners that slide in and out effortlessly. Each oven features a triple glazed door.



KITCHEN COMPANION PRODUCTS

Whether it's a fresh coffee in the morning, a healthy steamed lunch or a quick ready-made meal in the evening, the Kitchen Companion Product Series takes convenience to a new level. The series includes a Coffee Maker, Steam Oven, Compact Oven, Combination Microwave Oven and warming drawer, offering a complete modular family designed to complement any kitchen. Temperature pre-selection and an oven programmer mean that cooking times can be pre-set across the product family, so multiple dishes can be easily coordinated. Each product is based on standard dimensions and can be easily configured to suit your preference — whether it's stacked vertically, placed side-by-side in a linear fashion or configured in a two-by-two block. Any combination will deliver a unified Built-in solution. Design features include capacitive touch controls and standard fascia height with black reflective glass and polished metal trim matching the broader Fisher & Paykel series including Hobs, ActiveSmart™ Fridges, CoolDrawer™ Multi-temperature Drawers and DishDrawer™ Dishwashers to create an integrated look throughout your kitchen.



DESIGN FLEXIBILITY

Perfect modularity means Fisher & Paykel's kitchen companion products can be positioned for maximum functionality — whether in a compact block, a vertical stack or side-by-side in a linear set.

Compact Oven

Space — sometimes there just isn't enough of it. Enter the Fisher & Paykel Compact Oven, the little oven that thinks big, with design detail ideally suited to fit with other Fisher & Paykel Built-in appliances, both large and small.

1 Perfect Results

The Compact Oven delivers the superior performance and full functionality of a large model with a choice of eight multi-function programs, temperature pre-selection and an oven programmer.

2 Sized to Suit

A compact 46cm height means this oven can be placed virtually anywhere. All companion products can be installed at a convenient height to suit your kitchen design and preference.

3 Designed to Match

Finished in black reflective glass and polished metal, these elegant, yet durable compact ovens match the other companion products and the larger coordinated kitchen family.

4 Easy Cleaning

The Compact Oven has an Easy-clean enamel interior with a catalysing filter that removes odours while you cook. The oven door has removable glass panes for effortless cleaning.

5 Precise Control

All the information you need at a glance is on the intuitive display, including a recipe menu and digital temperature control for absolute accuracy. Capacitive touch controls and an electronic touch panel make this oven very easy to use.

6 Safe and Sound

The compact oven has a well-balanced, Three pane glass, oven door along with a childproof key lock for extra safety.





Fisher & Paykel

Steam Oven

This Steam Oven provides appetising and healthier alternatives to fried and baked food. Steam cooking is one of the easiest yet oldest forms of cooking and can be used for almost any food. Heat from steam diffuses through food allowing it to cook in its own juices, retaining valuable nutrients, minerals and vitamins and—most importantly—flavour. The Steam Oven adds a new dimension to oven-based cooking.

1 Perfect Results

The Fisher & Paykel Steam Oven allows for healthy and easy cooking—keeping food moist and fresh with no oil, smoke or mess. The oven heats up quickly and cooks most meals in 30 minutes or less.

2 Sized to Suit

At 46cm high, this 29L Built-in Steam Oven can be placed virtually anywhere, fitting perfectly with other products in the kitchen companion series. An optional 2cm trim kit and 12cm warming drawer ensures a perfect match with the full series of 60cm Built-in kitchen products.

3 Designed to Match

All of our kitchen companion products are finished in black reflective glass with polished metal trim that blends elegance with durability.

4 Easy Cleaning

Cleaning and care of the Steam Oven is simple. After each use, simply clean the smooth Stainless steel interior with a dry cloth after the steam generator has cooled.

5 Precise Control

The oven beeps when the food is ready and the intuitive display provides all the information you need, including cooking function selection, time and when to refill. A removable one litre water reservoir is used to generate steam that lasts almost an hour. An alarm sounds when it's empty and it's simple to refill.

6 Safe and Sound

The Steam Oven comes with a childproof key lock for extra safety.

Combination Microwave Oven

Fast cooking is the primary advantage of the Built-in Combination Microwave Oven. This oven merges the traditional crisping and browning benefits of the convection oven with the speed of a microwave, and 10 different oven modes including Reheat, Defrost, Bake and Grill.

1 Perfect Results

Forget soggy defrosted foods or uneven heating. This oven incorporates the best of convection and microwave technology and eliminates the need for two separate appliances, with a choice of 10 oven modes combined with a powerful 1000W microwave offering 19 power levels.

2 Sized to Suit

A compact 46cm height means this Combination Microwave Oven can be placed virtually anywhere at a height to suit you. An optional 2cm trim kit and 12cm warming drawer ensures a perfect match with the full series of 60cm Built-in kitchen products.

3 Designed to Match

All of our kitchen companion products are finished in black reflective glass and polished metal that blend an elegant, minimalist aesthetic with design for durability.

4 Easy Cleaning

The smooth enamel interior with glass inner door and removable side racks, along with a turntable, make cleaning easy.

5 Precise Control

All the information you need at a glance is shown on the intuitive display, including a cooking guide with 12 pre-selected automatic cooking modes.

6 Safe and Sound

The Combination Microwave Oven has a childproof key lock for extra safety.





Fisher & Paykel

Coffee Maker

Like having a barista in your kitchen, the Built-in Coffee Maker is designed to make coffee just the way you like it. Offering adjustable coffee strength and temperature, multiple coffee cup sizes and 15-bar pressure at the touch of a button, it's the perfect way to start each day.

1 Perfect Results

Easily adjusted to suit your preference, this Coffee Maker also provides automatic descaling and cleaning for perfect coffee, every time.

2 Sized to Suit

The adjustable coffee dispenser holds 200g of coffee and the conveniently positioned steam milk frother avoids unnecessary detachable milk containers.

3 Designed to Match

Finished in black reflective glass and polished metal, the Coffee Maker matches the rest of the Fisher & Paykel coordinated kitchen family.

4 Easy Cleaning

The Coffee Maker has a self-cleaning function and comes with a removable drip tray and a bin for used coffee grounds.

5 Precise Control

The intuitive electronic touch panel display includes refill, cleaning and maintenance data, plus a program to memorise your favourite coffee recipe. Twin LED lights ensure you see what you are doing on those dark mornings.

6 Safe and Sound

The unit glides out on telescopic slides to easily add coffee beans and the adjustable shut-off timer switches the machine off after a set period or when you have made your last coffee. The on/off switch is conveniently hidden for children's safety.

7 Accessories

These comprise: coffee dispenser spoon; descaling solution; and optional lower trim kit. Optional trim kit available. Product code: 85083.



WB60SDEB1 - black glass WB60SDEX1 - Stainless steel

Warming Drawer

Putting the finishing touch to a delicious meal or coffee, the warming drawer keeps plates and cups warm.

1 Perfect Results

A separate warming drawer allows you to warm plates while you finish cooking. The temperature control settings (45°, 55° and 65°C) and even heat distribution within the warming drawer means no hot spots. Two timer settings can maintain a temperature for a set time or it can be left on for up to 12 hours.

2 Sized to Suit

Designed to fit under 48cm and 60cm ovens and other kitchen appliances, the warming drawer can be installed with or without other appliances under-bench or built into the wall at a convenient height. To be fitted with a trim kit.

3 Designed to Match

Finished in black reflective glass or Stainless steel, the warming drawer matches the other Fisher & Paykel kitchen companion products and the larger coordinated kitchen family.

4 Easy Cleaning

The front panel and smooth-glass base of the warming drawer are easy to wipe clean.

5 Precise Control

All the information you need at a glance is shown on the illuminated steel buttons, showing temperature settings and shut-off timer.

6 Safe and Sound

Full extension runners make it safe to remove hot crockery with minimal obstructions and, as an extra safety measure, the drawer turns itself off after 12 hours of continuous use.

Trim kit available when fitting companion product side by side and using the warming drawer.



HOBS

So many things to consider when selecting a hob: a look to match your kitchen, a size to fit your space and a fuel type to suit your cooking style. It all comes down to personality and preference. Whether it's the performance and theatre of live flame, the precision, control and sleek simplicity of induction, or the straightforward power of an electric hob, Fisher & Paykel's Hob family is designed to provide a full range of solutions. Whatever your choice, there are many configurations and sizes to suit any cooking style. Each product has been designed to deliver great performance — from searing heat to the gentlest of simmers — and all are designed for easy cleaning and with safety in mind.



Gas on Glass Hobs

The Gas on Glass series combines the cleanability of the highest-quality glass surface with the efficiency of gas cooking. It delivers total cooking precision through the latest burner technology and elegant Stainless steel controls. The Gas on Glass series is a modular family of appliances designed using premium quality materials with a polished metal trim.

1 Perfect Results

Our award-winning Gas on Glass Hobs come equipped with powerful burners; the wok burner has a uniform flame for even heat distribution while the auxiliary burner has the added capability of exceptionally low temperatures—ideal for delicate sauces.

2 Sized to Suit

A range of different sized burners can be used together: 90cm five-burner; 90cm three-burner; 60cm four-burner; 60cm three-burner; 30cm two-burner. The 30cm & 45cm single wok burners comfortably take a large wok and are amongst the most powerful on the market.

3 Designed to Match

The black reflective glass, brushed Stainless steel and polished metal trim blend elegance with durability to match the rest of our coordinated kitchen family.

4 Easy Cleaning

The easy-to-clean hob design means you can simply remove the trivets, wipe and walk away.

5 Precise Control

It delivers total cooking precision through the latest burner technology and elegant Stainless steel controls.

6 Safe and Sound

The flame failure safety device means that if the flame is accidentally extinguished the gas automatically turns off. We only use eco-friendly ceramic glass without any arsenic or heavy metals used in the manufacturing process.



reddot design award
winner 2013

CG905DNGGB1



Gas on Steel Hobs

The Gas on Steel Hobs come in different sizes and offer power levels for everything from a slow simmer for sauces, to an intense heat for steaks and stir-fries. Combining the attractiveness of sleek Stainless steel with the durability of cast iron trivets, these hobs support the most avid chef.

1 Perfect Results

The Gas on Steel Hob perfects the slow simmer for sauces to the intense heat needed for steaks and stir-fries, with five different strength burners including some of the most powerful available.

2 Sized to Suit

With up to five burners, including simmer, rapid and one high performance wok burner, the Gas on Steel Hobs provide great cooking flexibility.

3 Designed to Match

The brushed Stainless steel blends elegance with durability—matching the rest of our coordinated kitchen family.

4 Easy Cleaning

These Hobs are designed as a singular piece of steel with quick component removal for easy cleaning. Durable and easy to clean, cast iron trivets provide a safe and stable cooking surface. The rubber feet ensure that the hob is not scratched when the trivets are placed onto the hob.

5 Precise Control

For accurate temperature control, there is the choice of ergonomic dials along the front of the hob combined with electronic ignition for quick easy ignition.

6 Safe and Sound

The models with flame failure safety device means that if the flame is accidentally extinguished the gas automatically turns off. All Fisher & Paykel Gas Hobs feature electronic ignition ensuring they are quick, reliable and safe.



Touch&Slide Induction Hobs

Traditionally we cook by generating heat from one source, such as a flame, and conducting it to another. Fisher & Paykel Induction Hobs work on a different principle. The hob itself produces electromagnetic vibrations, which induce the pot or pan to generate its own heat, resulting in shorter heat-up times and a safer cooking surface.

1 Perfect Results

The PowerBoost function delivers instant, intense heat when you need it and the GentleHeat function produces slow, continuous simmering.

2 Sized to Suit

Select from 90cm five zone; 60cm four zone; 60cm three zone; and 30cm two zone; to suit all sizes of cookware. The Hobs are perfectly flat so the surface can be used as an extension of your preparation area. Zones can be linked easily with SmartZone on selected models.

3 Designed to Match

Induction cooking is popular with those who love visual simplicity and clean, smooth lines. Finished in black glass, you get elegant design with durability.

4 Easy Cleaning

The flat surface is easy to clean because there are no obstructions and because Induction heats just the pot rather than the surrounding glass, the likelihood of burned spill overs is greatly reduced.

5 Precise Control

Induction cooking delivers an immediate response with greater energy efficiency than that of either gas or electric. Touch&Slide soft-touch controls are simple to use and provide great precision.

6 Safe and Sound

Induction Hobs have automatic pan detection and a key lock is provided for extra safety.

COMBINATION HOBS

Today's traditional kitchen may not be versatile enough to achieve the authentic results that modern cooks demand when cooking global cuisine. Flexibility with the perfect hob solution can now be achieved by combining gas and induction Hobs to create the best of both worlds. Now you can mix and also match. Our selection of gas and induction Hobs in different shapes and sizes can be used together or separately to suit your cooking style, and the Fisher & Paykel kitchen design features of black glass with polished metal trim will complement and enhance any modern kitchen.



CI905DTB2 & CG451DNGGB1

Optional joining kit product code - 534731



FREESTANDING RANGE COOKERS

Fisher & Paykel's Freestanding Range Cookers are the showpiece of the kitchen and deliver outstanding performance. These are the domestic version of the professional chef's cooker. With a commanding presence they not only look like they've come from a restaurant kitchen but also deliver similarly high performance. There are up to eight oven functions in the electric oven ranging from Defrost to Fan Bake including Rotisserie in some models and a powerful Grill element — perfect for any culinary requirements.

90cm Range Cooker — Gas Hob

Our Freestanding, contemporary-style Range Cookers give you the flexibility to prepare several courses simultaneously. With either a large single cavity or two smaller cavities and five burner gas Hobs, the clean lines in black reflective glass and Stainless steel complement the style and elegance of any kitchen.

1 Perfect Results

Seven oven functions from Fan Grill to traditional Bake and Rotisserie, plus a powerful Grill up to 3600W, gives you professional quality results.

2 Sized to Suit

Our Freestanding 90cm Range Cookers are spacious, offering up to 100L total and 85L of usable capacity with shelving systems and a concealed lower element providing room for even the largest family feast. The lower storage area minimises clutter for all oven accessories.

3 Designed to Match

Designed using premium quality materials, the black reflective glass and Stainless steel blend balanced aesthetic with design for durability which match the rest of our kitchen product family.

4 Easy Cleaning

Concealed elements and a drop-down Grill make cleaning quick and simple. Single Door Range Cooker comes with catalytic liners that break down oil and fat splashes during normal cooking. The Hob is made from a single piece of Stainless steel that contains spills, while the inner pane of glass can be removed for cleaning.

5 Precise Control

Control dials have a simple, functional interface and provide precise control over cooking temperatures.

6 Safe and Sound

A cooler to touch door and a Built-in cooling system ensure the oven door is safe to touch externally. Streamlined trivets let you slide pots and pans without lifting them.



120cm Freestanding Range Cooker - Gas Hob

The ultimate Range Cooker combines the convenience of two full size 58L multifunction ovens, with the control and precision of an integrated 6 burner gas hob, while the unique design and clean lines in Black Glass and Stainless steel compliment the style and elegance of any modern kitchen.

1 Perfect Results

Professional performance is delivered by seven oven functions — perfect for any culinary requirements. Along with its 2000W Grill, triple ring and dual zone wok burners makes this a powerful Range Cooker.

2 Sized to Suit

This double oven Range Cooker is spacious, with shelving systems and a concealed lower element providing room for even the largest family feast. The fully extendable lower drawer minimises clutter for all oven accessories.

3 Designed to Match

Designed using premium-quality materials and built to last. The black reflective glass and Stainless steel blend a balanced aesthetic with design for durability, matching our kitchen product family.

4 Warming drawer

This cooker has a variable temperature (with moist - crisp setting) warming drawer.

5 Safe and Sound


Triple-glazed doors make the oven door safer to touch. The door and oven cooling system keep heat away from cabinetry and non-tip shelves reduce the risk of dropping heavy cookware.





COOKER HOODS

Kitchen inspiration doesn't exist in a vacuum, but simple and responsive extraction is as important as achieving the right look for your kitchen. Designed to complete your kitchen, you can select a Cooker Hood that sits above your hob or one that is hidden away until needed, depending on what best suits your kitchen layout and cooking style. No matter which you choose, all of Fisher & Paykel's ventilation products are built to perform. Whether it is a Built-in integrated, or chimney-style, each has been designed as the perfect partner to our Hobs and each captures and eliminates cooking odours, vapour and steam effectively. They are easy to use and feature intuitive controls that respond to the touch of a finger.



Chimney Cooker Hoods with Surface Extraction

Designed as the perfect partner to our Hobs, Chimney Cooker Hood with Surface Extraction are easy to use, easy to clean and feature intuitive controls. Comes in 60cm, 90cm & 120cm widths.

1 Effective and Quiet

These Cooker Hoods offer four fan speeds plus a boost function and clever features that quietly and efficiently remove steam and cooking odours from the kitchen. Odours can linger in the kitchen well after cooking is finished. The practical timer feature keeps the hood working for up to 20 minutes before it automatically turns itself off.

2 Designed to Match

Fisher & Paykel's Chimney Cooker Hood will fit any contemporary kitchen and perfectly match the Fisher & Paykel kitchen family with their black reflective glass and Stainless steel.

3 Easy Cleaning

An interior, wipeable plate makes cleaning effortless. Multi-layered filters trap grease effectively. Designed for simple removal, the filters are easy to clean and dishwasher safe.

4 Precise Control

The sleek touch-control panel responds to the touch of your finger. LED lights provide superb illumination over the entire cooking surface. The dimmable light feature enables you to create the perfect level of light.



Built-in Integrated Cooker Hood with Perimeter Extraction

This discrete Built-in style of Cooker Hood is perfect for the minimalist look where the Hob is placed under overhead cupboards. Hidden from view until it is needed, the Built-in Integrated Cooker Hood efficiently removes steam, smoke and lingering odours with a powerful three-speed fan. Built-in Integrated Cooker Hoods are finished in black reflective glass and Stainless steel that blends elegance of design with durability. Comes in 60cm & 90cm widths.

1 Effective and Quiet

Odours can linger in the kitchen well after cooking is finished. Four fan speeds plus a boost function, with up to 710m³ per hour air movement, ensure steam and smells are quickly removed. Perimeter extraction technology creates a high velocity vacuum that is more effective over a wider area than that of traditional Cooker Hoods and is far quieter than those using conventional technology.

2 Designed to Match

The Stainless steel Cooker Hood surround with black glass touch-control panel and backlit red-and-white display matches the other Fisher & Paykel products – from Built-in Ovens or Freestanding Cookers and Kitchen Companion Products, to ActiveSmart™ Fridges, CoolDrawer™ Multi-temperature Drawers and DishDrawer™ Dishwashers.

3 Easy Cleaning

The glass and Stainless steel finishes are easily wiped clean and the filters are dishwasher safe. A cleaning alert reminds you when to clean the filter and ensures you get the best performance out of your Cooker Hood.

4 LED Lighting

Low-power LED lighting keeps energy usage to a minimum while providing superb illumination over the entire cooking surface.

Built-in 60cm Ovens



①
OB60SC9DEPX1
60cm 9 Function Pyrolytic
Built-in Oven
H598 x W597 x D572mm

②
OB60SC9DEX1
60cm 9 Function
Built-in Oven
H598 x W597 x D572mm

③
OB60SC7CEPX1
60cm 7 Function Pyrolytic
Built-in Oven
H598 x W597 x D572mm

④
OB60SC7CEW1
60cm 7 Function White
Built-in Oven
H598 x W597 x D572mm

⑤
OB60SC7CEX1
60cm 7 Function
Built-in Oven
H598 x W597 x D572mm

⑥
OB60SC11DEPX1
60cm 11 Function Pyrolytic
Built-in Oven
H598 x W597 x D572mm

⑦
OB60SL11DCPX1
60cm 11 Function Pyrolytic
Built-in Oven
H598 x W597 x D572mm

Built-in 60cm Ovens



①
OB60DDEX4
60cm Tower Built-in Oven
H1077 x W595 x D567mm

②
OB60B77CEX3
60cm Double Built-in Oven
H888 x W595 x D567mm

③
OB60HDEX3
60cm Under Counter Built-in Oven
H718 x W595 x D564mm

④
OB60BCEX4
60cm Double Built-in Oven
H888 x W595 x D567mm

Kitchen Companion Products



01 02



03 04



05 06

01
OB60N8DTX1
60cm Built-in Conventional Compact Oven
H457 x W597 x D570mm

02
OS60NDTX1
60cm Built-in Steam Oven
H457 x W597 x D423mm

03
OM36NDXB1
60cm Built-in Combination Microwave Oven
H457 x W597 x D570mm

04
EB60DSXB1
60cm Built-in Coffee Maker
H457 x W597 x D412mm

05
WB60SDEB1
60cm Black warming drawer
H118 x W596 x D556mm

06
WB60SDEX1
60cm Stainless steel warming drawer
H118 x W596 x D555mm

Gas on Glass Hobs



01



02



03



04



05



06



07

01
CG905DNGGB1 (Natural gas), CG905DLPGB1 (LPG)
90cm 5 Burner
Gas on Glass Hob
H59 x W900 x D530mm

02
CG903DNGGB1 (Natural gas), CG903DLPGB1 (LPG)
90cm 3 Burner
Gas on Glass Hob
H59 x W900 x D450mm

03
CG604DNGGB1 (Natural gas), CG604DLPGB1 (LPG)
60cm 4 Burner
Gas on Glass Hob
H59 x W600 x D530mm

04
CG603DNGGB1 (Natural gas), CG603DLPGB1 (LPG)
60cm 3 Burner
Gas on Glass Hob
H59 x W600 x D530mm

05
CG451DNGGB1 (Natural gas), CG451DLPGB1 (LPG)
45cm 1 Burner
Gas on Glass Hob
H59 x W450 x D530mm

06
CG302DNGGB1 (Natural gas), CG302DLPGB1 (LPG)
30cm 2 Burner
Gas on Glass Hob
H59 x W300 x D530mm

07
CG301DNGGB1 (Natural gas), CG301DLPGB1 (LPG)
30cm 1 Burner
Gas on Glass Hob
H59 x W300 x D530mm

Gas on Steel Hobs



01



02

Ⓜ
CG905DNGX1 & CG905DLPGX1
90cm 5 Burner Gas Hob
 H56 x W900 x D530mm

Ⓜ
CG604DNGX1 & CG604DLPGX1
60cm 4 Burner Gas Hob
 H59 x W600 x D530mm

Induction Hobs



01



02



03



04



05



06

Ⓜ
CI905DTB2
90cm 5 Zone Induction Hob
 H50 x W900 x D530mm

Ⓜ
CI302DTB3
30cm 2 Zone Induction Hob
 H50 x W300 x D530mm

Ⓜ
CI604DTB3
60cm 4 Zone Induction Hob
 H50 x W600 x D530mm

Ⓜ
CI604CTB1
60cm 4 Zone Induction Hob
 H50 x W600 x D530mm

Ⓜ
CI804CTB1
80cm 4 Zone Induction Hob
 H50 x W800 x D530mm

Ⓜ
CI904CTB1
90cm 4 Zone Induction Hob
 H50 x W900 x D530mm

Range Cookers



01

④
OR120DDWGF2
 120cm Freestanding
 Dual Fuel Cooker
 H915-927 x W1195 x D600mm

④
OR90L7DBGFX1
 90cm Freestanding
 Dual Fuel Cooker
 H870-925 x W900 x D600mm

④
OR90LDBGFX3
 90cm Freestanding
 Dual Fuel Cooker
 H870-925 x W900 x D600mm

④
OR90SDBGFX3
 90cm Freestanding
 Dual Fuel Cooker
 H897-910 x W900 x D600mm



02



03



04

Wall Chimney
Cooker Hoods



01

⑩
HC120BCXB2
120cm Wall Chimney
Cooker Hood
H635-1035 x W1200 x D500mm

⑪
HC90BCXB2
90cm Wall Chimney
Cooker Hood
H635-1035 x W900 x D500mm

⑫
HC60BCXB2
60cm Wall Chimney
Cooker Hood
H600-1035 x W600 x D500mm



02



03

Wall Chimney
Tilt Cooker Hood



01

⑬
HT90GHB2
90cm Wall Chimney
Tilt Cooker Hood
H800-1140 x W900 x D380mm

Built-in Integrated
Cooker Hoods with
Perimeter Extraction



02

⑭
HP90IHCB3
90cm Built-in Integrated Cooker
Hood with Perimeter Extraction
H352 x W830 x D280mm



03

⑮
HP60IHCB3
60cm Built-in Integrated Cooker
Hood with Perimeter Extraction
H352 x W530 x D280mm

C

O

O

L



WE CONTROL THE WEATHER

At the heart of Fisher & Paykel's Fridge-Freezers is the ability to sense and respond to daily use in an intelligent way. The combination of temperature sensors with smart electronics and variable-speed fans creates a controlled environment and optimum temperature for better Foodcare. We call it ActiveSmart™ technology. Your fridge door is the most used door in your home and, every time it is opened, the temperature changes around your food. The challenge is maintaining a consistent and controlled environment despite ongoing changes inside and outside the fridge. ActiveSmart™ achieves this through constantly monitoring how you and your family use your fridge, adjusting airflow to maintain a stable and even temperature. So despite highs, lows and occasional gusty winds, when it comes to your fridge, let ActiveSmart™ control the weather to deliver better Foodcare.



ACTIVSMART™
TECHNOLOGY



90cm CoolDrawer™ Multi-temperature Drawer

The CoolDrawer™ Multi-temperature Drawer has been designed to change from refrigerator to freezer at the touch of a button. It is built on the concept of distributed refrigeration, combining ActiveSmart™ technology with a drawer-based design that can be placed anywhere in the kitchen, home or entertainment area. The CoolDrawer™ provides five temperature settings to deliver total flexibility – freezer, chill, fridge, pantry and wine modes, merging intelligence with convenience.

1 Innovative

The Multi-temperature CoolDrawer™ is a world-first in refrigeration technology.

2 Convenient

Five temperature settings can be tailored to the needs of your food: Freezer, Chill, Fridge, Pantry and Wine mode, combining intelligence with convenience.

3 Ergonomic

There is easy access at waist height, with smooth-running drawers.

4 Intuitive

The easy-to-use electronic interface can change the temperature at the touch of a button.

5 Flexible

This innovation complements your existing refrigeration and enhances your kitchen design to suit your lifestyle.

6 Precise

Highly engineered finishing ensures a 4mm clearance between front panels, as demanded by professional cabinetmakers.

CoolDrawer™ Multi-temperature Drawer Mode Features

1 Freezer Mode

This mode is ideal for general frozen food storage with the added flexibility of three freezer functions—Bottle Chill, Fast Freeze and Deep Freeze. Freezer Mode is set at -18°C for longer-term storage of frozen items.



2 Chill Mode

Chill Mode sets the compartment to a temperature perfect for highly perishable meats, poultry and seafood. For these types of food it is ideal to store them at a temperature as close to freezing as possible to retain their vital freshness. Chill Mode sets the compartment at -0.5°C , just above the freezing temperature for meat.



3 Fridge Mode

This mode provides the ideal storage for most foods requiring normal refrigeration, such as fruit and vegetables, dairy products, processed meats and drinks. The compact upper storage tray is a perfect place for sensitive foods such as peaches, cherries, cheeses and deli items; the tall bin is ideal for large bottles and containers.



4 Pantry Mode

This is designed for foods that require a cool, dark place for storage, such as tropical fruits, tomatoes, bananas, bread and cereals. Pantry Mode provides a solution for all those foods that you didn't previously know what to do with and have always resorted to storing on the bench or in the cupboard. This setting offers a stable storage environment at 12°C , making it ideal for sensitive foods.



5 Wine Mode

Using the innovative Wine Mode, connoisseurs can take advantage of special settings that preserve and present wine at its optimum temperature. This mode is ideal for long-term storage of all wine at 12°C and offers two temperature selections for short-term storage.



Wine Cabinets

Fisher & Paykel Wine Cabinets combine sophisticated, practical design with optimal storage and display solutions for your wine collection.

1 Perfect Control

As white and red wine require different temperatures for ideal storage, dual zones can be easily set between 5°C and 20° using the touch control panel.

2 Total Visibility

Your wine collection is clearly visible at all times with externally controlled LED lighting and a UV tempered glass door that reduces the risk of external light affecting the wine.

3 Optimal Wine Storage

Fan assisted ventilation control ensures even air circulation and a charcoal filter minimises musty smells. A low vibration compressor and solid oak shelves ensure minimum vibration and reduce scratching of bottles or labels.

4 Sized to Suit

Fisher & Paykel wine cabinets come in five different models from slide-in under bench to a large free-standing unit holding up to 144 bottles.

5 Designed to Match

Brushed Stainless steel, glass door and handle match the Fisher & Paykel family of kitchen appliances.

6 Safe and Sound

The lockable door keeps your wine secure.



SEAMLESS INTEGRATION

The next generation of family size Fisher & Paykel Built-in refrigerators offer a new level of fit and finish to deliver seamless kitchen integration. Designed for easy installation to fit flush into new or existing 900mm wide x 1800mm high cabinetry with minimal 4mm gaps these fridges are available with optional Stainless steel doors, or a custom panel finishes.



Built-in French Door Refrigerators

With new flush-fit design and the ability to easily slide into existing kitchen spaces or be integrated behind kitchen cabinetry, these family-size fridges have excellent Foodcare with ActiveSmart™ technology.

① Seamless Integration

The Built-in series requires minimal 4mm gaps allowing consistent lines throughout your kitchen design. Fitting flush with cabinetry you have design freedom with a choice of optional Stainless steel doors, or custom panel options.

② Sized to Suit

The spacious 900mm wide French Door fridges are designed for family life, with double doors for easy access to uninterrupted fridge space.

③ Fresher Food for Longer

ActiveSmart™ technology helps keep your food fresher for longer by constantly monitoring usage and adapting to maintain optimum temperature. Energy is saved by cooling and defrosting only when the fridge needs to, without compromising on Foodcare.

④ Easy Cleaning

Removable, spill-safe cantilevered glass shelves are designed to contain drips and spills that can be simply wiped away, while leaving the interior walls completely smooth and easy to clean.

⑤ Flexible Living

Streamlined food preparation and organisation is made easy with SmartTouch controls, flexible shelving, storage options and slide out bins and trays.





French Door Refrigerators

This series has been designed to maximise space as well as access. With a slimline water dispenser styling and SmartTouch controls, these fridges are designed to match with our family of kitchen appliances.

1 Fresher Food for Longer

ActiveSmart™ Foodcare helps keep your food fresher for longer by constantly monitoring your fridge and adapting to maintain a controlled environment and optimum temperature.

2 Humidity Control System

The Humidity Control System combined with ActiveSmart™ Foodcare creates a microclimate in each produce bin, maintaining fruit and vegetable quality at just the right humidity and temperature level.

3 Easy Living

These fridges adapt to suit your lifestyle by streamlining food preparation and organisation with SmartTouch controls, flexible shelving and storage options and slide out bins and trays.

4 Sized to Suit

Fisher & Paykel French Door Refrigerators are available in 900 and 790mm widths with ultra flat doors and concealed hinges.

5 Easy Cleaning

Removable, spill safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen Stainless steel doors just need a wipe to keep spotless.

6 Efficient

ActiveSmart™ fridges intelligently adapt to daily use to save energy, cooling and defrosting only when they need to without compromising on Foodcare.

Bottom Freezer Refrigerators

This series has been designed for what you use most often. The upper refrigerator enables easy access to everyday items.

1 Fresher Food for Longer

ActiveSmart™ Foodcare helps keep your food fresher for longer by constantly monitoring your fridge and adapting to maintain a controlled environment and optimum temperature.

2 Humidity Control System

The Humidity Control System combined with ActiveSmart™ Foodcare creates a microclimate in each produce bin, maintaining fruit and vegetable quality at just the right humidity and temperature level.

3 Easy Living

These fridges adapt to suit your lifestyle by streamlining food preparation and organisation with SmartTouch controls, flexible shelving and storage options and slide out bins and trays.

4 Sized to Suit

Available in 790, 680 and 635mm widths these fridges suit almost any home. They can sit flush with your worktop, with ultra flat doors and concealed hinges.

5 Easy Cleaning

Removable, spill safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen Stainless steel doors just need a wipe to keep spotless.

6 Efficient

ActiveSmart™ Fridges intelligently adapt to daily use to save energy, cooling and defrosting only when they need to without compromising on Foodcare.





Recessed Handle Fridge Freezers

As Kitchens units become handleless so do our fridges. The new range of Fisher & Paykel recessed handle fridge freezers come in a variety of widths from 790, 680 and 635mm.

1 ActiveSmart™ Foodcare

ActiveSmart™ Foodcare combines temperature sensors with smart electronics to create a controlled environment and optimum temperature for better Foodcare.

2 Humidity Control System

The Humidity Control System combined with ActiveSmart™ Foodcare creates a microclimate in each produce bin, maintaining fruit and vegetable quality at just the right humidity and temperature level.

3 Storage Flexibility

Optimal fridge organisation helps to streamline food preparation. This is achieved with features such as flexible shelving, flexible storage options and easy-to-access bins and trays on full extension runners.

4 Efficient

ActiveSmart™ fridges intelligently adapt to daily use to save energy – cooling and defrosting only when they need to without compromising on Foodcare.

5 Easy Living

These fridges adapt to suit your lifestyle with accessible SmartTouch controls, flexible shelving and storage options, and slide-out bins and trays.

6 Easy Cleaning

Removable, spill-safe glass shelves are easy to clean and contain drips and spills. Storage bins and EZKleen Stainless steel doors just need a wipe to keep spotless.

SURROUND KIT

The refrigeration Surround Kit helps create a seamless connection between your appliance and its surrounding cabinetry. Available in a Stainless steel finish, the kit frames and complements the product. A Joiner Kit can also be used to join two refrigerators. For more information, visit fisherpaykel.com



Range Highlights

1 ActiveSmart™ Technology

ActiveSmart™ technology is the combination of temperature sensors with smart electronics and variable speed fans that create a controlled environment and optimum temperature to help keep food fresher longer.



2 SmartTouch Control Panel

For easy access, the new SmartTouch control panel is placed in the inside front of the fridge. These controls have been designed to be intuitively simple and easy to use.



3 Ultra Slim Water Dispenser

The slimline water dispenser is now even easier to use—the angled water delivery still means that almost any size or shape of vessel can be filled, while taking up no storage space in your fridge door. The black finish reflects the styling of Fisher & Paykel's family of kitchen appliances.



4 Soft-close Doors

No more slamming fridge doors or having the door left open with soft-close hinges on the French Door Ice & Water models.



5 Ice Boost

In Ice & Water models, the ice boost automatically increases ice production into a dedicated bin that can be easily customised to store different volumes.



6 Humidity Control System

The Humidity Control System together with the cool and consistent temperature delivered by ActiveSmart™ technology creates the perfect microclimate in each produce bin, maintaining fruit and vegetable quality at just the right humidity and temperature level.



7 Adaptive Defrost

Adaptive Defrost means that there is no need for vacation mode settings. Your fridge intelligently selects the best time to defrost based on how it is being used. When you are away it will use less energy as it recognises lower levels of use and defrosts less often.



8 Storage Flexibility

Smart fridge organisation and food preparation are streamlined with best in class features such as flexible shelving, flexible storage options and easy to access bins and trays on full extension runners.



**CoolDrawer™
Multi-temperature
Drawer**



01 Product shown with Stainless steel Pre-finished Door (Part number 840545).

01
**RB90S64MKIW2
CoolDrawer™
Multi-temperature Drawer**
H640 x W855 x D557mm
(excluding drawer panel, incl. power cord)
Door panel not included.

**Optional Stainless steel
Pre-finished Door**
H476 x W896 x D18mm

Wine Cabinets



01 02 03 04

01
**RF365RDWX1
Freestanding Wine Cabinet**
H1855 x W595 x D639mm
Capacity: 144 bottles
Flat door, concealed hinge.

02
**RF306RDWX1
Freestanding Wine Cabinet**
H1660 x W595 x D639mm
Capacity: 127 bottles
Flat door, concealed hinge.

03
**RF206RDWX1
Freestanding Wine Cabinet**
H1270 x W595 x D639mm
Capacity: 83 bottles
Flat door, concealed hinge.

04
**RF106RDWX1
Freestanding Wine Cabinet**
H825 x W595 x D639mm
Capacity: 50 bottles
Flat door, concealed hinge.

**Slide-in Under Bench
Wine Cabinet**



01

01
**RS6ORDWX1
Slide-in Under Bench
Wine Cabinet**
H830 x W595 x D580mm
Flat door
Capacity: 32 bottles

**Ice & Water
Built-in French Door
Refrigerator**



01 Product shown with Stainless steel Pre-finished Door Panel Set (Part number RD90U).

01
**RS90AU1
Ice & Water Built-in
French Door Refrigerator**
H1798 x W896 x D606 mm
(Dimensions excluding handles and door panels)
Door panels sold separately.

**Optional Stainless steel
Pre-finished
Door Panel Set sold separately.**
H1096 x W446 x D18mm
(Each top door panel)
H598 x W896 x D18mm
(Bottom door panel)

- Handle kit **RS90A** For custom
bespoke door.

**No water through bespoke
furniture door.**

**Non Ice & Water
Built-in French Door
Refrigerator**



02 Product shown with Stainless steel Pre-finished Door Panel Set (Part number RD90).

02
**RS90A1
Built-in French Door Refrigerators**
H1798 x W896 x D606mm
(Dimensions excluding handles and door panels)
Door panels not included. Apply your own cabinetry or stainless steel door panel set.

**Optional Stainless steel
Pre-finished Door Panel Set
sold separately.**
H1096 x W446 x D18mm
(Each top door panel)
H598 x W896 x D18mm
(Bottom door panel)

- Handle kit **RS90A** For bespoke
furniture door.



03 Product shown with custom cabinetry and handle. Door panels and handles not included.

03
**RB60V18
60cm Integrated Fridge-Freezer**
H1773 x W555 x D544mm
The 60cm Integrated Fridge is designed to integrate seamlessly behind cabinetry, freeing up your kitchen design possibilities and allowing you to create a kitchen that suits your lifestyle.

French Door Refrigerators



01



⑩
RF540ADUSX4
900mm French Door Refrigerators
 H1790 x W900 x D695mm
 (Dimensions excluding handles)
 Flat door.

⑪
RF610ADX4
900mm French Door Refrigerators
 H1790 x W900 x D695mm
 (Dimensions excluding handles)
 Flat door.

⑫
RF522ADX4
790mm French Door Refrigerators
 H1715 x W790 x D695mm
 (Dimensions excluding handles)
 Flat door.



02



03



French Door Refrigerators



01



⑬
RF610ADW4
900mm White French Door
 H1790 x W900 x D695mm
 (Dimensions excluding handles)
 Flat door.

⑭
RF522ADW4
790mm White French Door
 H1715 x W790 x D695mm
 (Dimensions excluding handles)
 Flat door.



02



Side by Side Refrigerators



01



⑩
RX611DUX1
Side by Side Refrigerator
 H1795 x W910 x D690mm
 (Dimensions excluding handles)

⑪
RX628DX1
Side by Side Refrigerator
 H1795 x W910 x D690mm
 (Dimensions excluding handles)

⑫
RX628DW1
Side by Side Refrigerator
 H1795 x W910 x D690mm
 (Dimensions excluding handles)



02



03



Ice & Water Bottom Freezer Refrigerators



01



⑬
RF522WDRUX4,
RF522WDLUX4
Bottom Freezer Refrigerator
 H1715 x W790 x D695mm
 (Dimensions excluding handles)
 Flat door.

⑭
E522BRXFDU4,
E522BLXFDU4
Bottom Freezer Refrigerator
 H1715 x W790 x D695mm
 (Dimensions excluding handles)
 Flat door.



02



**Ice & Water
Bottom Freezer
Refrigerators Cont.**



01



Ⓜ
**E442BRXFDU4,
E442BLXFDU4**
Bottom Freezer Refrigerator
H1715 x W680 x D695mm
(Dimensions excluding handles)
Flat door.

Ⓜ
E402BRXFDU4
Bottom Freezer Refrigerator
H1715 x W680 x D695mm
(Dimensions excluding handles)
Flat door.



02



**Bottom Freezer
Refrigerators**



01



Ⓜ
**RF522WDRX4,
RF522WDLX4**
**Drawer Door
Bottom Freezer Refrigerator**
H1715 x W790 x D695mm
(Dimensions excluding handles)
Flat door.

Ⓜ
**E522BRXFD4,
E522BLXFD4**
Bottom Freezer Refrigerator
H1715 x W790 x D695mm
(Dimensions excluding handles)
Flat door.

Ⓜ
**E442BRXFD4,
E442BLXFD4**
Bottom Freezer Refrigerator
H1715 x W680 x D695mm
(Dimensions excluding handles)
Flat door.



02



03



Bottom Freezer Refrigerators Cont.



01



Ⓜ
**E402BRXFD4,
 E402BLXFD4**
Bottom Freezer Refrigerator
 H1715 x W635 x D695mm
 (Dimensions excluding handles)
 Flat door.

Recessed Handle Refrigerators Cont.



03




Ⓜ
RF522BRPUX6
**Recessed Handle Refrigerator
 Ice & Water**
 H1720 x W790 x D695mm
 (Dimensions excluding handles)
 Recessed Handle.

Ⓜ
RF402BRPUX6
**Recessed Handle Refrigerator
 Ice & Water**
 H1720 x W635 x D695mm
 (Dimensions excluding handles)
 Recessed Handle.

Ⓜ
**RF402BRPX6,
 RF402BLPX6**
Bottom Freezer Refrigerator
 H1720 x W635 x D695mm
 (Dimensions excluding handles)
 Recessed Handle.

Recessed Handle Refrigerators



01



Ⓜ
**RF521TRPX6,
 RF521TLPX6**
Top Freezer Refrigerator
 H1720 x W790 x D695mm
 (Dimensions excluding handles)
 Recessed Handle.

Ⓜ
**RF522BRPX6,
 RF522BLPX6**
Bottom Freezer Refrigerator
 H1720 x W790 x D695mm
 (Dimensions excluding handles)
 Recessed Handle.



04



Ⓜ
**RF442BRPX6,
 RF442BLPX6**
Bottom Freezer Refrigerator
 H1720 x W680 x D695mm
 (Dimensions excluding handles)
 Recessed Handle.



02



05



06



CLEAN



WE LIVE OUT OF DRAWERS

Fisher & Paykel DishDrawer™ Dishwashers are designed to make doing the dishes easier than ever before. The combination of a drawer-based system with smart electronics and independent wash technology delivers superior cleaning and better ergonomics. We call it DishDrawer™ technology. Each of our DishDrawer™ products is a self-contained dishwasher with technology that allows traditional double-format or separate modules to be configured at an ergonomic height, allowing complete design freedom. Tall, double and single-drawer options allow you to choose the combination that works best for your lifestyle. The dishwashers in this series can be concealed easily behind kitchen cabinetry to seamlessly blend in with your kitchen and the ergonomic design minimises bending by requiring less movement to open, load and close.



DISHDRAWER™
TECHNOLOGY

DishDrawer™ Double Dishwasher - Recessed Handle

This model is designed to fit existing kitchen cabinetry, DishDrawer™ Double Dishwashers have comparable dimensions to those of traditional dishwashers but provide the benefit of two independent drawers for added convenience and ergonomics.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn. Three Wash Modifiers are available on selected models: Sanitize for babies bottles, Extra Dry for plastics and Quick for a 35 minute wash.

2 Convenient

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads.

3 Ergonomic

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height so loading and unloading requires minimal bending.

4 Easy to Load

DishDrawer™ Dishwashers include a range of flexible racking options. The cutlery basket can be customized for different utensils. Folding tines can be folded flat to accommodate a full load of pots. Pitch-adjustable* tines can accommodate normal plates, deep bowls or slide completely out of the way. Height adjustable cup racks allow for different shapes and sizes and provide wine glass supports.

5 Reliable Performance

The combination of intelligent technology and simple mechanics means more space for your dishes, greater reliability and excellent wash performance.

6 Efficient

This model offers the choice of fifteen wash programs*, including Eco options to minimise water and energy usage.

* Selected models only



DishDrawer™ Double Dishwasher - Designer Handle

Designed to fit existing kitchen cabinetry, the DishDrawer™ Double Dishwasher has comparable dimensions to those of traditional dishwashers but provides the benefit of two independent drawers for added convenience and ergonomics.

1 Innovative

This dishwasher is a world's first in terms of design and configuration. Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

The DishDrawer™ Double Dishwasher lets the user match the wash program to the exact load type in each drawer.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model offers the choice of nine wash programs, including Eco options to minimise water and energy usage.

5 Safe

For added safety, a key lock and child lock are included.

6 Ecofriendly

This dishwasher is AAA rated for energy efficiency and cleaning and drying performance.





DishDrawer™ Single Dishwasher - Recessed Handle

Fisher & Paykel Single DishDrawer™ Dishwashers are designed to make doing the dishes easier than ever before. Sized to suit small kitchens and small loads.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Ergonomic

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height so loading and unloading requires minimal bending.

3 Easy to Load

The DishDrawer™ Dishwasher includes a range of flexible racking options. The cutlery basket can be customized for different utensils. Folding tines can be folded flat to accommodate a full load of pots.

4 Reliable Performance

The combination of intelligent technology and simple mechanics means more space for your dishes, greater reliability and excellent wash performance.

5 Efficient

This model offers the choice of six wash programs, including Eco options to minimise water and energy usage.



DishDrawer™ Tall Dishwasher

This model is designed for extra headroom. The increased drawer height fits 330mm plates, making cleaning up after dinner parties a breeze. The DishDrawer™ Tall Dishwasher can also easily accommodate oversized platters and extra-long stemmed glasses.

1 Innovative

Before washing begins, detergent passes through the world's first flow-through dispenser to ensure it is thoroughly dissolved, providing a faster, more hygienic wash with no hint of detergent burn.

2 Convenient

This model is taller than the standard DishDrawer™ Dishwasher, so you can fit in large plates up to 330mm in diameter. Racking is designed to hold long utensils and can fold away to free up space.

3 Ergonomic

The DishDrawer™ is as easy to open and close as a kitchen drawer and conveniently positioned at bench height so loading and unloading requires minimal bending. Easy-to-use folding tines allow you to place large pots, platters and bowls into the drawer with ease.

4 Efficient

This model has the choice of nine wash programs, including Eco options to minimise water and energy usage. This dishwasher only uses 8L of water on a Normal Eco wash programme and is AAA rated for energy efficiency and cleaning & drying performance.

5 Safe

For added safety, a key lock and child lock are included.





INTEGRATED MODELS

The integrated product solution enables seamless fitting between Fisher & Paykel products and your kitchen cabinetry. Your chosen aesthetic can extend beyond storage spaces to enable DishDrawer™ Dishwasher and CoolDrawer™ Multi-temperature Drawer to blend in with your kitchen environment.

DishDrawer™ Dishwasher Range Features

1 Independent Drawers

An independent drawer-based dishwashing platform is part of what makes the DishDrawer™ dishwasher unique. At bench height, drawers glide open for easy access, visibility and better ergonomics. In DishDrawer™ Double Dishwashers, both drawers operate independently so different wash cycles can operate simultaneously to accommodate a variety of loads. Glasses, pots and pans can be washed in separate drawers at the same time.



2 SmartDrive™ Wash Mechanism

The unique brushless DC motor acts as both a wash pump and a drain pump, which means fewer moving parts and greater reliability. The pump brings water into the spray arm, which rotates at different speeds depending on the wash cycle selected, to deliver a superior clean and better dish care.



3 Fifteen Wash Options * Selected models only

The premium range has 15 wash cycles including: Delicate, Extra Dry, Fast, Heavy, Normal, Normal Eco, and three wash modifiers, Sanitize for baby bottles and glass jars, Extra Dry for plastics and Quick for a 35 minute wash.



4 Flow-through Detergent Dispenser

The DishDrawer™ dishwasher detergent dispenser ensures that undissolved detergent does not enter into the tub; instead, it is mixed as the machine fills with water. This not only cleans each load better but also reduces the possibility of damaging delicate items such as aluminium, cutlery or porcelain glazes.



5 Superior Filtration

One of the challenges in all dishwashers is a robust filter system that removes debris and avoids blocking. Together, the kidney filter and overmoulded filter plate create a firm seal to ensure that debris does not enter the wash mechanism and cause backflow. It is designed to be removable for easy and hygienic cleaning.



6 Adjustable Racking System

The DishDrawer™ Dishwasher includes a range of flexible racking options. The cutlery basket can be customised for different utensils. Folding tines can be folded flat to accommodate a full load of pots or be folded upwards to hold glassware. Pitch-adjustable* racks can accommodate normal plates, deep bowls or even slide completely out of the way. Wine glass holders ensure that short and long stemmed glasses are secure throughout the wash. Added retainer clips are ideal for holding chopping boards in position.



7 Safety Features

The DishDrawer™ Dishwasher incorporates unique safety features such as a child lock which both locks the drawer to prevent opening and disables the buttons. In addition, it includes three-stage flood protection: the high-strength hose withstands water pressure several times greater than normal, overflow detection cuts the water supply if limits are exceeded and the back-up switch activates the drain pump to remove any excess water.



* Selected models only

**Tall DishDrawer™
Dishwasher**



01



02

Product shown with custom cabinetry and handle.

⑩
DD60SDFHTX7
Tall DishDrawer™ Dishwasher
H478 x W599 x D571mm

⑪
DD60SHTI7
Integrated Tall DishDrawer™ Dishwasher
H478 x W599 x D569-573mm
Door Panel and Handle not included. Apply your own cabinetry façade and handle.

**Double DishDrawer™
Dishwashers**



01



02

⑩
DD60DDFH7
Double DishDrawer™ Dishwasher
H820-880 x W599 x D571mm

⑪
DD60DIH7
Integrated Double DishDrawer™ Dishwasher
H820-880 x W599 x D569-573mm
Door Panel and Handle not included. Apply your own cabinetry façade and handle.

**Double DishDrawer™
Dishwashers Cont.**



01



02



03

⑩
DD60DAH9
⑪
DD60DAH9
⑫
DD60DAHW9
Double DishDrawer™ Dishwasher
H820-880 x W599 x D573mm



01



02



03

⑩
DD60DCHX9
⑪
DD60DCHB9
⑫
DD60DCHW9
Double DishDrawer™ Dishwasher
H820-880 x W599 x D573mm

Single DishDrawer™
Dishwasher



01



02 Product shown with custom cabinetry and handle.



03



04

01
DD60SDFHX7
Single DishDrawer™ Dishwasher
H410 x W599 x D571mm

02
DD60SIH7
Integrated Single DishDrawer™
Dishwasher
H410 x W599 x D569—573mm
Door panel and handle not
included. Apply your own
cabinetry façade and handle.

03
DD60SAHX9
Single DishDrawer™ Dishwasher
H410 x W599 x D573mm

04
DD60SCTHX9
Tall Single DishDrawer™
Dishwasher
H454 x W599 x D573mm



LAUNDRY



LIFE IS DIRTY

At Fisher & Paykel, our goal has always been to design and create the world's most intelligent washing machines that care for your clothes by making them faster, better and more energy efficient. Our SmartDrive™ washers use our world first direct drive technology. By combining smart electronics with a direct drive motor, these washing machines can sense and respond to each load, delivering exceptional clothes care quickly and quietly.



Washing Machines

8kg & 9kg

Our Front Loaders provide 16 specific wash cycles and hands-on control to select exactly how you want to wash each load. It is designed for those who like intuitive control and a quick, quiet machine.

1 Fast Cycle Times - for a Full Load

The Vortex wash speeds up the cleaning process so nine of the 16 cycles take less than an hour to complete when washing at 30°C. It uses the force of the spinning drum to thrust the detergent solution through the clothes. This reduces wash time by getting the cleaning agents and heat into the fibres of the clothes quicker.

2 Easy Control

The 'add a garment' option allows you to quickly add or remove a garment mid cycle. A 'wrinkle free' option ensures your wet clothes don't sit around too long at the completion of the cycle and a choice of three soil levels gives you more control over your wash.

3 1400 rpm Spin

A maximum spin speed of 1400 rpm removes more water from each load, reducing drying times while keeping clothes soft.

4 Efficient Performances

The WM1490F1 & P1 are A+++ -20% and extra quiet with 48dB on wash & 69dB on spin.


The WM1480P1 is A+++ -10% - 50dB on wash & 68dB on spin.



SmartDrive™ Front Loader Features

1 SmartDrive™ Technology

Fisher & Paykel SmartDrive™ washing machines use our world first direct drive technology, which has revolutionised clothes washing and clothes care since the 1990s. By combining smart electronics with vector control and a direct drive motor, removing the belt and pulleys, these washing machines can sense and respond to each load, delivering exceptional clothes care quickly and quietly.



2 Quick Vortex Wash Cycles

Fisher & Paykel have developed the Vortex wash which speeds up the cleaning process so most cycles take less than an hour to complete. This is like an explosion in the midst of the tumble action which thrusts the sudsy water from the bottom of the drum into and through the clothes. By getting the cleaning agents and heat into the fibres of the clothes quicker the clothes get clean quicker.



3 Quiet

Our SmartDrive™ washing machines use our latest generation direct drive motors, removing cumbersome parts and improving our ability to sense what's happening inside the drum. Without these old components, SmartDrive™ washing machines are more reliable, produce less vibration and noise levels are reduced to being whisper quiet.




4 SmartTouch™ Control Dial

The SmartTouch™ control dial is your interface to SmartDrive™ technology. It distils 21 years of SmartDrive™ development into a user-friendly interface, to deliver an expert wash every time.



5 Energy and Water Efficiency

Our SmartDrive™ washing machines deliver up to A+++ -20% energy rating, making them one of the most efficient front loaders on the market.



6 Hot and Cold Fill

Unlike many others, our SmartDrive™ washing machines let you choose whether your water is heated in the washing machine or from your hot water cylinder. With energy efficiency, quicker wash cycles, environmental and cost savings in mind, Fisher & Paykel washing machines can be installed with just a cold water inlet or both hot and cold water inlets — ideal for those with alternative water heating solutions.



Front Loading
Washing Machine



01



02



03

Ⓜ
WM1490F1
9kg FabricSmart™ Washing Machine
H850 x W600 x D620mm
1400 rpm Variable Spin.
16 Wash programmes.

Ⓜ
WM1490P1
9kg WashSmart™ Washing Machine
H850 x W600 x D620mm
1400 rpm Variable Spin.
14 Wash programmes.

Ⓜ
WM1480P1
8kg WashSmart™ Washing Machine
H850 x W600 x D570mm
1400 rpm Variable Spin.
14 Wash programmes.







TECHNICAL SPECIFICATIONS

Cook	145
Specifications	146
Built-in Ovens	146
Kitchen Companion Products	150
Hobs	152
Range Cookers	158
Cooker Hoods	160
Dimensions	162
Built-in Ovens	162
Kitchen Companion Products	165
Hobs	166
Range Cookers	173
Cooker Hoods	176




Cool	180
Specifications	182
CoolDrawer™ Multi-temperature Drawer	182
Wine Cabinets	183
Built-in French Door Refrigerators	185
French Door Refrigerators	185
Integrated Bottom Freezer Refrigerators	185
Side by Side Refrigerators	189
Bottom Freezer Refrigerators	192
Dimensions	195
CoolDrawer™ Multi-temperature Drawer	195
Wine Cabinets	195
Built-in French Door Refrigerators	198
French Door Refrigerators	198
Side by Side Refrigerators	199
Bottom Freezer Refrigerators	200
Integrated Bottom Freezer Refrigerators	202

Clean	206
Specifications	207
DishDrawer™ Tall Dishwashers	207
Double DishDrawer™ Dishwashers	208
DishDrawer™ Single Dishwashers	209
Dimensions	211
DishDrawer™ Tall Dishwashers	211
Double DishDrawer™ Dishwashers	212
DishDrawer™ Single Dishwashers	214
Laundry	216
Washing Machines	218


COOK




Type of appliance	60cm 11 Function Pyrolytic Built-in Oven	60cm 11 Function Built-in Oven	60cm 9 Function Pyrolytic Built-in Oven	60cm 9 Function Built-in Oven
Model no.	OB60SL11DCPX1	OB60SC11DEPX1	OB60SC9DEPX1	OB60SC9DEX1
Finish	Black reflective glass Polished metal trim			
Dimensions	H598 x W597 x D577mm	H598 x W597 x D565mm	H598 x W597 x D565mm	H598 x W597 x D565mm
Total capacity+	90L	85L	85L	85L
Usable capacity+	77L	72L	72L	72L
Shelf positions	6	6	6	6
Oven Functions	11	11	9	9
Bake	●	●	●	●
Vent Bake	●	●	●	●
Fan Bake	●	●	●	●
Fan Forced	●	●	●	●
Grill	●	●	●	●
Fan Grill	●	●	●	●
Classic Bake	●	●	●	●
Pastry Bake	●	●	●	●
Roast	●	●	●	●
Warm	●	●	●	●
Pyrolytic Self-clean	●	●	●	●
Defrost	●	●	●	●
Performance				
Grill	3200W	3000W	3000W	3000W
ActiveVent™ system	●	●	●	●
Automatic rapid pre-heat	●	●	●	●
Cleaning				
Acid resistant graphite enamel	●	●	●	●
Drop down grill element	●	●	●	●
Pyrolytic Self-clean	Standard and light cycles	Standard and light cycles	Standard and light cycles	Sides
Self-cleaning catalytic liners	●	●	●	●
Removable shelf runners	●	●	●	●
Removable oven door/inner glass	●	●	●	●
Safety				
Triple glazed door	●	●	●	●
Balanced oven door	●	●	●	●
Non-tip shelves	●	●	●	●
Full extension telescopic shelves	●	●	●	●
Control panel key lock	●	●	●	●
Catalytic venting system	●	●	●	●
Controls				
Electronic clock	●	●	●	●
Automatic cooking/minute timer	●	●	●	●
Precise electronic Temperature control	●	●	●	●
Automatic pre-set temperatures	●	●	●	●
Capacitive touch controls	●	●	●	●
Illuminated halo dials	●	●	●	●
Interior light	2 x 50W (halogen)	2 x 25W (halogen)	2 x 25W (halogen)	2 x 25W (halogen)
Audio feedback	●	●	●	●
Celsius/Fahrenheit temperature	●	●	●	●
Sabbath mode	●	●	●	●
AMP draw	15.5A	14.3A	14.3A	14.3A
Accessories				
Step down wire shelf	●	●	●	●
Flat wire shelf	●	●	●	●
Full extension telescopic shelves	1 set	1 set	1 set	1 set
Flat brushed baking tray	●	●	●	●
Roasting dish and/or grill rack set	●	●	●	●
Rotisserie set #B5109	Optional	●	●	●
Smokeless grill tray	●	●	●	●
Meat probe	●	●	●	●
Catalytic liner	●	●	●	Sides
Warranty*	5 years	2 years	2 years	2 years



Type of appliance	60cm 7 Function Pyrolytic Built-in Oven	60cm 7 Function Built-in Oven	60cm 7 Function Built-in Oven
Model no.	OB60SC7CEPX1	OB60SC7CEX1	OB60SC7CEW1
Finish	Black reflective glass Polished metal trim	Black reflective glass Polished metal trim	White
Dimensions	H598 x W597 x D565mm	H598 x W597 x D565mm	H598 x W597 x D565mm
Total capacity+	85L	85L	85L
Usable capacity+	72L	72L	72L
Shelf positions	6	6	6
Oven Functions	7	7	7
Bake	●	●	●
Fan Bake	●	●	●
Fan Forced	●	●	●
Grill	●	●	●
Fan Grill	●	●	●
Classic Bake	●	●	●
Pastry Bake	●	●	●
Roast	●	●	●
Warm	●	●	●
Pyrolytic Self-clean	●	●	●
Performance			
Grill	3000W	3000W	3000W
Automatic rapid pre-heat	●	●	●
Cleaning			
Acid resistant graphite enamel	●	●	●
Drop down grill element	●	●	●
Pyrolytic Self-clean	Standard and light cycles	Standard and light cycles	Standard and light cycles
Self-cleaning catalytic liners	Sides	Sides	Sides
Removable shelf runners	●	●	●
Removable oven door/inner glass	●	●	●
Safety			
Triple glazed door	●	●	●
Balanced oven door	●	●	●
Non-tip shelves	●	●	●
Control panel key lock	●	●	●
Full extension telescopic shelves	●	●	●
Catalytic venting system	●	●	●
Controls			
Electronic clock	●	●	●
Automatic cooking/minute timer	●	●	●
Precise electronic Temperature control	●	●	●
Automatic pre-set temperatures	●	●	●
Capacitive touch controls	●	●	●
Illuminated halo dials	●	●	●
Interior light	2 x 25W (halogen)	25W (halogen)	25W (halogen)
Audio feedback	●	●	●
Celsius/Fahrenheit temperature	●	●	●
Sabbath mode	●	●	●
AMP draw	14.3A	13.5A	13.5A
Accessories			
Step down wire shelf	●	●	●
Flat wire shelf	●	●	●
Full extension telescopic shelves	●	1 set	1 set
Flat brushed baking tray	●	●	●
Roasting dish and/or grill rack set	●	●	●
Roasting dish	●	●	●
Smokeless grill tray	●	●	●
Meat probe	●	●	●
Catalytic liner	●	Sides	Sides
Warranty*	2 years	2 years	2 years



Type of appliance	60cm 7 Function Tower Built-in Oven	60cm 7 Function Double Built-in Oven	60cm 4 Function Under Counter Double Built-in Oven	60cm 7 Function Double Built-in Oven
Model no.	OB60DDEX4	OB60B77CEX3	OB60HDEX3	OB60BCEX4
Finish	Black reflective glass Brushed Stainless steel	Black reflective glass Brushed Stainless steel	Black reflective glass Brushed Stainless steel	Black reflective glass Brushed Stainless steel
Dimensions	H1077 x W595 x D567mm	H888 x W597 x D567mm	H718 x W595 x D564mm	H888 x W595 x D567mm
Total capacity+	71L + 71L	45L + 71L	42L + 62L	45L + 71L
Usable capacity+	58L + 58L	36L + 58L	36L + 51L	36L + 58L
Shelf positions	6 (both ovens)	4 (top oven), 6 (bottom oven)	4 (top oven), 4 (bottom oven)	4 (top oven), 6 (bottom oven)
Oven Functions	7	7	4	7
Bake	●	●	●	●
Fan Bake	●	●		●
Grill	●	●		●
Fan Grill	●	●	●	●
Fan Forced	●	●	●	●
Warm	●	●		●
Defrost	●	●	●	●
Performance				
Grill	3000W (both ovens)	2700W (top oven), 3000W (bottom oven)	2000W (both oven),	2700W (top oven), 3000W (bottom oven)
Cleaning				
Acid resistant graphite enamel	●	●	●	●
Drop down grill element	●			
Self-cleaning catalytic liners	Sides and rear	Sides bottom oven	Sides and rear bottom oven	Sides bottom oven
Removable shelf runners	●	●	●	●
Removable oven door/s	●	●	●	●
Removable liner door glass	●	●	●	●
Safety				
Triple glazed door	●	●		●
Door and cavity cooling system	●	●	●	●
Non-tip shelves	●	●	●	●
Telescopic sliding runners	●	●	●	●
Controls				
Electronic clock	●	●	●	●
Automatic cooking/minute timer	Top oven	Bottom oven	Bottom oven	Bottom oven
Rear light	Top oven	Top oven	●	Top oven
Slide and rear lights	●	Bottom oven		Bottom oven
AMP draw	27A	25.4A	17.65A	19.3A
Accessories				
Step down wire shelf	2	1	1	1
Flat wire shelf	2	2	2	2
Telescopic sliding runners	4 sets	2 sets	3 sets	2 sets
Grill pan + grill rack	2	1	2	1
Fat Filter	2	1	1	1
Catalytic liners	Sides and rear	Sides	Sides and rear bottom oven	Sides
Grill pan handles	2 sets	1 set	1 set	1 set
Warranty*	2 years	2 years	2 years	2 years



Type of appliance	60cm Built-in Convectional Compact Oven
Model no.	OB60N8DTX1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W597 x D570mm (height 478mm with optional lower trim kit)
Total capacity+	40L
Usable capacity+	36L
Shelf positions	3
Oven Functions	8
Defrost	●
Traditional	●
Double Fan Assisted	Bottom element
Grill	●
Medium Grill	●
Fan Assisted Grill	●
Turbo Plus	●
Traditional Fan Assisted	●
Performance	
Thermostat regulation	35–275°C
Powerful grill element	●
Cleaning	
Easy clean enamel interior	●
Catalysing filter to remove odours	●
Easy clean glass inner door	●
Removable door panes	●
Safety	
Child safety lock	●
Safe touch door (two removable panes)	Triple glazed
Safety thermostat	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Recipe function	●
Digital temperature control	●
Electronic clock	●
Minute minder	●
Programmable oven timer	●
Interior light	●
AMP draw	16A
Accessories	
Enamel tray	●
Shelf	●
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years



Type of appliance	60cm Built-in Steam Oven
Model no.	OS60NDTX1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W597 x D423mm (height 478mm with optional lower trim kit)
Total capacity+	29L
Usable capacity+	23L
Steam oven Functions	8
Also features:	
Electronic programmer	●
Pre-set temperature	●
Auto-clock	●
Water indicator	●
Performance	
Thermostat regulation	55–100°C
Steam generator	1.78kW
Steam generator/bottom part oven	●
Steam at 100°C	●
Cleaning	
Easy clean Stainless steel interior	●
Removable water tank	●
Safety	
Child safety lock	●
Glazed door	●
Safety thermostat	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Interior light	●
AMP draw	10A
Accessories	
Two piece steaming dish	●
Support rack	●
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years




Type of appliance	60cm Built-in Combination Microwave Oven
Model no.	OM36NDXB1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W597 x D570mm (height 478mm with optional lower trim kit)
Total capacity*	40L
Usable capacity*	36L
Shelf positions	3
Oven Functions	10
Microwave Max	●
Microwave by levels	●
Grill High	●
Grill Medium	●
Grill High + Microwave	●
Grill Medium + Microwave	●
Heat Circulation	●
Microwave + Heat Circulation	●
Defrost	●
Warm	●
Performance	
Thermostat regulation	35–220°C
Microwave power	1000W
Grill power	1800W
19 power levels	●
Full width dual variable grill	●
Turbo plus fan controlled cooking	●
Cleaning	
Easy clean enamel interior	●
Easy clean glass inner door	●
Removable side racks	●
Safety	
Child safety lock	●
Glazed door	Triple glazed
Safety thermostat	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Interior light	25W
AMP draw	16A
Accessories	
Turntable	●
Glass tray	●
Rack	●
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years



Type of appliance	60cm Built-in Coffee Maker
Model no.	EB60DSXB1
Finish	Black reflective glass Polished metal trim
Dimensions	H457 x W597 x D412mm (height 478mm with optional lower trim kit)
Number of cups	1 or 2
Functions	
Coffee strength in 5 levels	Extra-strong, Strong, Medium, Mild, Extra-mild
Cup size in 5 levels	Espresso "MyCup", Small, Medium, Large, Mug
Personalisation of cup sizes and cappuccino (milk + coffee) via menu	●
Takes pre-ground coffee	●
Performance	
Coffee temperature	3 temperatures
15 bar pump pressure	●
System heating power (Coffee/Steam)	1200W/1000W
Grinding coarseness	13 positions
Water tank capacity	1.8L
Cleaning	
Self-clean function	●
Easy to remove coffee grinds bin	●
Removable drip tray with level indicator	●
Controls	
Electronic capacitive touch controls	●
Intuitive information display	●
Water tank empty indicator	●
Cleaning reminder	●
Coffee grounds full reminder	●
Maintenance data reminder	●
Refill coffee bean reminder	●
Lights	●
AMP draw	10A
Accessories	
Coffee spoon	●
Descaling solution bottle	●
Optional lower trim kit	Makes product 478mm high
Warranty*	2 years




Type of appliance	60cm warming drawer	60cm warming drawer
Model no.	WB60SDEB1	WB60SDEX1
Finish	Black reflective glass	Brushed Stainless steel
Dimensions	H118 x W596 x D555mm	H118 x W596 x D556mm
Usable height	83mm	83mm
Place settings	6	6
Cappuccino cups	20	20
Espresso cups	48	48
Maximum allowable weight	30kg	30kg
Performance		
Low	45°C	45°C
Medium	55°C	55°C
High	65°C	65°C
Cleaning		
Easy clean smooth-glass base	●	●
Safety		
Full extension slides	●	●
Soft closing mechanism	●	●
Automatic turn off after 12 hours	●	●
Controls		
Illuminated capacitive touch-controls	●	●
Two automatic timers	1 or 2 hours	1 or 2 hours
On/Off indicator	●	●
Supply voltage	220V–240V	220V–240V
AMP draw	1.6–1.8A	1.6–1.8A
Warranty*	5 years	5 years





Type of appliance	90cm 5 Burner Gas on Glass Hob	90cm 3 Burner Gas on Glass Hob	60cm 4 Burner Gas on Glass Hob
Model no.	CG905DNGGB1 (Natural gas) CG905DLPGB1 (LPG)	CG903DNGGB1 (Natural gas) CG903DLPGB1 (LPG)	CG604DNGGB1 (Natural gas) CG604DLPGB1 (LPG)
Finish	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim
Dimensions	H59 x W900 x D530mm	H59 x W900 x D450mm	H59 x W600 x D530mm
Burners	5 including dual wok burner	3 including 2 dual wok burners	4 including mini wok burner
Burner ratings (using Natural gas)			
Auxiliary burner	1.0kW/hr		1.0kW/hr
Semi-rapid burner	2.3kW/hr	2.3kW/hr	2.3kW/hr
Rapid burner	3.19kW/hr		
Wok burner	5.0kW/hr / 0.66kW/hr	5.0kW/hr / 0.66kW/hr	3.25kW/hr
Performance			
Electronic ignition	●	●	●
Quick connect gas valves	●	●	●
LPG/Natural gas models	●	●	●
Cast iron trivets	●	●	●
Cleaning			
Easy clean hob design	●	●	●
Quick component removal	●	●	●
Safety			
Flame failure system	●	●	●
Controls			
Toughened fused glass graphics	●	●	●
Dial controls on hob	●	●	●
Dual wok control	●	●	
AMP draw	10A	10A	10A
Supply voltage	230-240V	230-240V	230-240V
Accessories			
Wok stand	●	●	●
Small pan support	●	●	
Warranty*	5 years	5 years	5 years

*Power levels apply to Natural Gas




Type of appliance	60cm 3 Burner Gas on Glass Hob	45cm 1 Burner Gas on Glass Hob	30cm 2 Burner Gas on Glass Hob	30cm 1 Burner Gas on Glass Hob
Model no.	CG603DNGGB1 (Natural gas) CG603DLPGB1 (LPG)	CG451DNGGB1 (Natural gas) G451DLPGB1 (LPG)	CG302DNGGB1 (Natural gas) G302DLPGB1 (LPG)	CG301DNGGB1 (Natural gas) CG301DLPGB1 (LPG)
Finish	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim	Ceramic glass Stainless steel trim
Dimensions	H59 x W600 x D530mm	H59 x W450 x D530mm	H59 x W300 x D530mm	H59 x W300 x D530mm
Burners	3 including dual wok burner	1 dual wok burner	2	1 dual wok burner
Burner ratings (using natural gas)				
Auxiliary burner			1.1kW/hr	
Semi-rapid burner	2.33kW/hr		2.3kW/hr	
Rapid burner				
Wok burner	5.0kW/hr / 0.66kW/hr	5.0kW/hr / 0.6kW/hr		6.0kW/hr
Performance				
Electronic ignition	●	●	●	●
Quick connect gas valves	●	●	●	●
LPG/Natural gas models	●	●	●	●
Cast iron trivets	●	●	●	●
Cleaning				
Easy clean hob design	●	●	●	●
Quick component removal	●	●	●	●
Safety				
Flame failure system	●	●	●	●
Controls				
Toughened fused glass graphics	●	●	●	●
Dial controls on hob	●	●	●	●
Dual wok control	●	●		
AMP draw	10A	10A	10A	10A
Supply voltage	230-240V	230-240V	230-240V	230-240V
Accessories				
Wok stand	●	●		
Small pan support	●	●		
Warranty*	5 years	5 years	5 years	5 years




*For further warranty information see the last page of this brochure






Type of appliance	90cm 5 Burner Gas on Steel Hob	60cm 4 Burner Gas on Steel Hob
Model no.	CG905DNGX1 (Natural gas) CG905DLPGX1 (LPG)	CG604DNGX1 (Natural gas) CG604DLPGX1 (LPG)
Finish	Stainless steel	Stainless steel
Dimensions	H59 x W900 x D530mm	H64 x W600 x D530mm
Burners	5 including dual wok burner	4 including wok burner
Burner ratings (using natural gas)		
Auxiliary burner	1.2 kW/hr	1.2 kW/hr
Semi-rapid burner	2.4 kW/hr	2.4 kW/hr
Rapid burner	3.03 kW/hr	
Wok burner	4.53 kW/hr	3.56 kW/hr
Performance		
Electronic ignition	●	●
Quick connect gas valve	●	●
LPG/Natural gas compatible	●	●
Cast iron trivets	●	●
Cleaning		
Easy clean hob design	●	●
Quick component removal	●	●
Safety		
Flame failure system	●	●
Spill containment	2L	1L
Controls		
Satin chrome control dials	●	●
Ergonomic control dials	●	●
Laser etched graphics	●	●
AMP draw	10A	10A
Supply voltage	230-240V	230-240V
Accessories		
Wok stand	●	●
Warranty*	5 years	5 years




Type of appliance	90cm 5 Zone Induction Hob	60cm 4 Zone Induction Hob	30cm 2 Zone Induction Hob
Model no.	CI905DTB2	CI604DTB3	CI302DTB3
Finish	Ceramic glass	Ceramic glass	Ceramic glass
Dimensions	H49 x W900 x D530mm	H49 x W600 x D530mm	H50 x W300 x D530mm
Cooking zones	5 including 1 dual zone	4 zone - bridgable	2 zone - bridgeable
Zone ratings	*Maximum power output when set for PowerBoost	*Maximum power output when set for PowerBoost	*Maximum power output when set for PowerBoost
Left front	1400W (2200W*)	2100W (3700W*)	2100W (3700W*)
Right front	1850W (3000W*)	2100W (3700W*)	2100W (3700W*)
Left rear	1400W (2200W*)	2100W (3700W*)	
Right rear	1850W (3000W*)	2100W (3700W*)	
Centre	1850W/2600W (3000W/5500W*)		
PowerBoost	up to 5500W	up to 5500W	up to 3700W
Performance			
Induction cooking technology	●	●	●
Heat settings	9	9	9
Dual colour display	●	●	●
Auto heat reduce	●	●	●
GentleHeat	2 settings	2 settings	2 settings
Dual zones	●		
SmartZone		●	●
Zone bridging		●	●
PowerBoost	●	●	●
Cleaning			
Flat easy clean glass surface	●	●	●
Safety			
Key lock	●	●	●
Safety time out	●	●	●
Pan detection system	●	●	●
Surface hot indicators	●	●	●
Spillage auto off	●	●	●
Controls			
Touch&Slide controls	●	●	●
Soft-touch electronic controls	●	●	●
Minute timer	●	●	●
Auto cut-off timer for each zone	●	●	●
AMP draw	43A	30A	16A
Supply voltage	220-240V	220-240V	220-240V
Warranty*	5 years	5 years	5 years




Type of appliance	60cm 4 Zone Induction Hob	80cm 4 Zone Induction Hob	90cm 4 Zone Induction Hob
Model no.	CI604CTB1	CI804CTB1	CI905CTB1
Finish	Ceramic glass	Ceramic glass	Ceramic glass
Dimensions	H57 x W600 x D530mm	H57 x W800 x D530mm	H57 x W900 x D530mm
Cooking zones	4	4	4
Zone ratings	*Maximum power output when set for PowerBoost	*Maximum power output when set for PowerBoost	*Maximum power output when set for PowerBoost
Left front	2300W (3000W*)	2300W (3200W*)	2300W (3200W*)
Right front	1200W (1400W*)	1200W (1400W*)	1200W (1400W*)
Left rear	1200W (1400W*)	1400W (1800W*)	1400W (1800W*)
Right rear	2300W (3000W*)	2300W (3000W*)	2300W (3000W*)
PowerBoost	up to 3000W	up to 3000W	up to 3000W
Performance			
Induction cooking technology	●	●	●
Heat setting	9	9	9
Auto heat reduce	●	●	●
GentleHeat	●	●	●
PowerBoost	●	●	●
Cleaning			
Flat easy clean glass surface	●	●	●
Safety			
Key lock	●	●	●
Safety time out	●	●	●
Pan detection systems	●	●	●
Surface hot indicators	●	●	●
Spillage auto off	●	●	●
Controls			
Soft touch electronic controls	●	●	●
Minute timer	●	●	●
Auto cut-off timer for each element	●	●	●
AMP draw	32A	32A	32A
Supply voltage	230-240V	230-240V	230-240V
Warranty*	2 years	2 years	2 years



Type of appliance	90cm Range Cooker	90cm Range Cooker	90cm Range Cooker
Model no.	OR90SDBGFX3	OR90L7DBGFX1	OR90LDBGFX3
Finish	Black reflective glass Brushed Stainless steel	Black reflective glass Brushed Stainless steel	Black reflective glass Brushed Stainless steel
Dimensions	H900-910 (max) x W900 x D600mm	H900-920 (max) x W900 x D600mm	H900-920 (max) x W900 x D600mm
Total capacity+	100L	70L + 40L	70L + 44L
Usable capacity+	85L	65L + 35L	69L + 39L
Shelf positions	5	4 per cavity	4 per cavity
Burners	5 including 1 dual burners	5 including 2 semi-rapid burners	5 including 2 semi-rapid
Oven Functions	7	7 (both ovens)	7 (full oven) 2 (half-oven)
Bake	●	●	●
Fan Bake	●	●	Full oven
Grill	●	●	●
Fan Grill	●	●	Full oven
Fan Forced	●	●	Full oven
Defrost	●	●	Full oven
Warm	●	●	Full oven
Grill + Rotisserie	● (Dual grill)		
Burner ratings (using natural gas)			
Auxiliary		1.0kW	1.0kW
Semi-rapid/rapid burner	1.75kW/hr	1.75kW (2)/3.0kW	1.75kW (2)/3.0kW
Dual wok burner outer/inner	4.5kW/hr/0.8kW/hr		
Triple ring wok burner	3.5kW/hr (2)	3.5kW	3.5kW
Performance			
AeroTech™ cooking system	●		
Grill	3600W	2000W/1450W	2000W/1450W
Electronic ignition	●	●	●
LPG/Natural gas compatible	●	●	●
Cast iron trivets	●	●	●
Cleaning			
Self-cleaning catalytic liners			
Drop down grill element	●		
Acid resistant graphite enamel	●	●	●
Removable shelf runners	●	●	●
Removable oven door and inner door glass	●	●	●
Safety			
CoolTouch door	●	●	●
Advanced cooling system	●	●	●
Non-tip shelves	●	●	●
Anti-tilt bracket	●	●	●
Flame failure	●	●	●
Controls			
Satin chrome control dials		●	●
Stainless steel dials	●		
Electronic clock	●	●	●
Automatic cooking/minute timer	●	●	●
Halogen side lights	●	●	●
AMP draw	16A	19.6A	16A
Accessories			
Step down shelf	●		
Flat wire shelf	●	●	2
Telescopic runners	2 sets		
Dish-warming wire shelf		●	●
Roasting dish and grill rack set	●	●	2
Wok stand	●		
Fat filter	●	●	●
Catalytic liners	Sides		
Storage drawer	●	●	●
Rotisserie set	●	2	2
Warranty*	5 years	5 years	2 years




Type of appliance	120cm Range Cooker
Model no.	OR120DDWGF2
Finish	Black reflective glass Brushed Stainless steel
Dimensions	H915-927 x W1195 x D600mm
Total capacity+	71L + 71L
Usable capacity+	58L + 58L
Shelf positions	6 per cavity
Burners	6 including 2 dual burners
Oven Functions	7
Bake	●
Fan Bake	●
Grill	●
Fan Grill	●
Fan Forced	●
Defrost	●
Warm	●
Burner ratings (using natural gas)	
Semi-rapid burner	1.75kW (2)
Wok burner	3.5kW (2)
Dual burner	4.5kW (2)
Performance	
Grill	2000W
Warmer drawer	Moist-Crisp setting
Electronic ignition	●
LPG/Natural gas compatible	●
Cast iron trivets	●
Cleaning	
Acid resistant graphite enamel	●
Drop down grill element	●
Self-cleaning catalytic liners	Sides
Removable shelf runners	●
Removable oven door	●
Removable inner door glass	●
Safety	
CoolTouch door	●
Advanced cooling system	●
Non-tip shelves	●
Anti-tilt bracket	●
Flame failure	●
Controls	
Satin chrome control dials	●
Electronic clock	●
Automatic cooking/minute timer	●
Halogen side lights	●
AMP draw	16A
Accessories	
Step down oven shelf	2
Flat wire shelf	2
Telescopic runners	2 sets
Flat brushed baking tray	2
Roasting dish and grill rack set	2
Grill pan handles	1 set
Fat filter	2
Catalytic liners	Sides
Wok stand	●
Splashback	●
Storage compartment	●
Warranty*	2 years



Type of appliance	120cm Wall Chimney Cooker Hood	90cm Wall Chimney Cooker Hood	60cm Wall Chimney Cooker Hood
Model no.	HC120BCXB2	HC90BCXB2	HC60BCXB2
Finish	Brushed Stainless steel Black glass	Brushed Stainless steel Black glass	Brushed Stainless steel Black glass
Dimensions	H600-1035 x W1200 x D500	H600-1035 x W900 x D500	H600-1035 x W600 x D500
Fan ratings			
Max. pressured air movement EN61591	710m ³ /hr	710m ³ /hr	710m ³ /hr
Max. decibel rating	64dBA	64dBA	64dBA
Performance			
Perimeter extraction	●	●	●
Fan speeds	4	4	4
Cleaning			
Dishwasher safe aluminium mesh filters	●	●	●
Filter cleaning alert	●	●	●
Installation			
Two-piece height adjustable flue	●	●	●
Air outlet	150mm	150mm	150mm
Ducted - top extraction	●	●	●
Recirculation - top extraction (optional)	●	●	●
Controls			
Soft-touch controls	●	●	●
Manual and sensor modes	●	●	●
Timer function	●	●	●
Halogen lights	4 x 10W	2 x 10W	2 x 10W
Supply voltage	220-240V	220-240V	220-240V
Accessories			
Ducting solution	●	●	●
Recirculating diverter	●	●	●
Recirculating carbon filter	●	●	●
Warranty*	2 years	2 years	2 years



Type of appliance	90cm Built-in Integrated Cooker Hood with Perimeter Extraction	60cm Built-in Integrated Cooker Hood with Perimeter Extraction
Model no.	HP90IHCB3	HP60IHCB3
Finish	Black glass Brushed Stainless steel	Black glass Brushed Stainless steel
Dimensions	H352 x W830 x D280mm	H352 x W530 x D280mm
Fan ratings		
Max. pressured air movement EN61591	710m ³ /hr	710m ³ /hr
Max. decibel rating	64dBA	64dBA
Performance		
Perimeter extraction	●	●
Fan speeds	4	4
Cleaning		
Dishwasher safe aluminium mesh filters	3	2
Filter cleaning alert	●	●
Installation		
Air outlet	150mm	150mm
Ducted - top extraction	●	●
Recirculation - top extraction (Optional)	●	●
Controls		
Capacitive touch controls	●	●
Timer function	●	●
LED lights	2 x 4W	2 x 4W
Dimmable lights	●	●
Supply voltage	220-240V	220-240V
Accessories		
Ducting solution	●	●
Recirculation carbon filter	●	●
Warranty*	2 years	2 years




Type of appliance	90cm Wall Chimney Tilt Cooker Hood
Model no.	HT90GHB2
Finish	Black glass Brushed Stainless steel
Dimensions	H800-1140 x W900 x D380mm
Fan ratings	
Max. pressured air movement EN61591	710m ³ /hr
Max. decibel rating	64dBA
Performance	
Surface extraction	●
Fan speeds	2
Cleaning	
Dishwasher safe aluminium mesh filter	2
Installation	
Air outlet	150mm
Ducted - top extraction	●
Recirculation - top extraction	●
Recirculation - front extraction	
Controls	
Switch controls	●
Halogen lights	2 x 50W
Supply voltage	220-240V
Accessories	
Ducting solution	●
Recirculating carbon filter	●
Recirculating tall handle	
Warranty*	2 years

60cm 11 Function Pyrolytic Built-in Oven

Model no:
OB60SL1IDCPX1


Dimensions	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis (does not include oven front)	557



60cm Double Built-in Oven

Model no:
OB60B77DEX3


Dimensions	mm
Ⓐ Overall height of product	888
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	22
Ⓓ Depth of product chassis	545



60cm Tower Built-in Oven

Model no:
OB60DDEX4


Dimensions	mm
Ⓐ Overall height of product	1077
Ⓑ Overall width of product	595
Ⓒ Depth of product front and control panel (excludes handle and dials)	22
Ⓓ Depth of product chassis (does not include oven front)	545



60cm Single Built-in Oven

Model no:
**OB60SC11DEPX1, OB60SC7CEPX1, OB60SC7CEW1,
OB60SC9DEPX1, OB60SC9DEX1, OB60SC7CEX1**

Dimensions	mm
Ⓐ Overall height of product	598
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	20
Ⓓ Depth of product chassis (does not include oven front)	545




60cm Built-in Conventional Compact Oven

Model no:
OB60N8DTX1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	23
Ⓓ Depth of product chassis (does not include oven front)	547

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-in Steam Oven

Model no:
OS60NDTX1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	23
Ⓓ Depth of product chassis (does not include oven front)	400

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-in Combination Microwave Oven

Model no:
OM36NDXB1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	23
Ⓓ Depth of product chassis (does not include oven front)	547

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Built-in Coffee Maker

Model no:
EB60DSXB1

Dimensions	mm
Ⓐ Overall height of product	457*
Ⓑ Overall width of product	597
Ⓒ Depth of product front and control panel (excludes handle and dials)	21
Ⓓ Depth of product chassis (does not include oven front)	391

*If fitting the lower trim extension kit, the overall height of product increases by 21mm (to 478mm).




60cm Warming Drawer

Model no:

WB60SDEB1, WB60SDEX1

Dimensions	mm
Ⓐ Overall height of product	118
Ⓑ Overall width of product	596
Ⓒ Depth of product front (excludes handle)	22
Ⓓ Depth of product chassis (does not include oven front)	536




90cm 3 Burner Gas on Glass Hob

Model no:

CG903DNGGB1, CG903DLPGB1

Dimensions	mm
Ⓐ Height of Chassis (below top of bench)	59
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	450




90cm 5 Burner Gas on Glass Hob

Model no:

CG905DNGGB1, CG905DLPGB1, CG905DNGX1, CG905DLPGX1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530




60cm 4 Burner Gas on Glass Hob

Model no:

CG604DNGGB1, CG604DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



60cm 3 Burner Gas on Glass Hob

Model no:
CG603DNGB1, CG603DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of Bench)	59
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



30cm 2 Burner Gas on Glass Hob

Model no:
CG302DNGB1, CG302DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	300
Ⓒ Overall depth of product	530



45cm 1 burner Gas on Glass Hob

Model no:
CG451DNGB1, CG451DLPGB1


Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	450
Ⓒ Overall depth of product	530



30cm 1 Burner Gas on Glass Hob

Model no:
CG301DNGB1, CG301DLPGB1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	59
Ⓑ Overall width of product	300
Ⓒ Overall depth of product	530




60cm 4 Burner Gas on Steel Hob

Model no:

CG604DNGX1, CG604DLPGX1

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	64
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530




60cm 4 Zone induction Hob

Model no:

CI604DTB3

Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	49
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530




90cm 5 Zone Induction Hob

Model no:

CI905DTB2

Dimensions	mm
Ⓐ Height of chassis (below top of bench)	49
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530




30cm 2 Zone induction Hob

Model no:

CI302DTB3


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	49
Ⓑ Overall width of product	300
Ⓒ Overall depth of product	530



60cm 4 Zone Induction Hob

Model no:
C1604CTB1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	57
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	530



90cm 4 Zone Induction Hob

Model no:
C1905CTB1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	57
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	530



80cm 4 Zone Induction Hob

Model no:
C1804CTB1


Dimensions	mm
Ⓐ Height of chassis incl terminal block (below top of bench)	57
Ⓑ Overall width of product	800
Ⓒ Overall depth of product	530



90cm Range Cooker

Model no:
OR90SDBGFX3


Dimensions	mm
Ⓐ Height of product (to top of hob not including pan supports)	min. 900 - max. 920
Ⓑ Overall width of product	900
Ⓒ Overall depth of product (excludes handle and dials includes splashback)	600



90cm Freestanding Dual Fuel Range Cooker

Model no:
OR90L7DBGFX1


Dimensions	mm
Ⓐ Height of product (to top of hob not including pan supports)	min. 870 - max. 925
Ⓑ Overall width of product	900
Ⓒ Overall depth of product (excludes handle and dials) includes splashback	600



120cm Freestanding Range Cooker

Model no:
OR120DDWFX2


Dimensions	mm
Ⓑ Overall width of product	1197
Ⓒ Overall depth of product (excludes handle and dials) includes splashback	588



90cm Freestanding Dual Fuel Range Cooker

Model no:
OR90LDBGFX3


Dimensions	mm
Ⓐ Height of product (to top of hob not including pan supports)	min. 870 - max. 925
Ⓑ Overall width of product	900
Ⓒ Overall depth of product (excludes handle and dials) includes splashback	600



120cm Wall Chimney Cooker Hood

Model no:
HC120BCXB2


Dimensions	mm
Ⓐ Overall height of product	min. 600 -max. 1035
Ⓑ Overall width of product	1200
Ⓒ Overall depth of product	500



90cm Wall Chimney Cooker Hood

Model no:
HC90BCXB2


Dimensions	mm
Ⓐ Overall height of product	min. 635 -max. 1035
Ⓑ Overall width of product	900
Ⓒ Overall depth of canopy	500



60cm Wall Chimney Cooker Hood

Model no:
HC60BCXB2


Dimensions	mm
Ⓐ Overall height of product	min. 600 -max. 1035
Ⓑ Overall width of product	600
Ⓒ Overall depth of product	500



90cm Wall Chimney Tilt Cooker Hood

Model no:
HT90GHB2


Dimensions	mm
Ⓐ Overall height of product	min. 800 -max. 1140
Ⓑ Overall width of product	900
Ⓒ Overall depth of product	380



90cm Built-in Integrated Cooker Hood

Model no:
HP90IHCB3


Dimensions	mm
Ⓐ Overall height of product	352
Ⓑ Overall width of product	830
Ⓒ Overall depth of product	280



60cm Built-in Integrated Cooker Hood

Model no:
HP60IHCB3

Dimensions	mm
Ⓐ Overall height of product	352
Ⓑ Overall width of product	530
Ⓒ Overall depth of product	280




C

O

O

L




Type of appliance	CoolDrawer™ Multi-temperature Drawer
Model no.	RB90S64MKIW2
Finish	●
Integrated	●
Stainless steel façade	Part number 840545
Dimensions	H640 x W855 x D557mm (excluding drawer panel, including power cord)
Gross Capacity (net)	
Total gross volume	123L
Energy rating	A+
Energy usage (kWh per year)	229 - 328
Modes	
Chill (-0.5°C)	●
Pantry (12°C)	●
Wine (7-15°C)	●
Refrigerator (3°C)	●
Freezer (-18°C)	●
Features	
Touch control glass interface	●
Key lock	●
Variable temperature control	●
Fruit and vegetable drawer & pullout tray	●
Customisable storage container	●
Drawer alarm	●
Warranty*	
Parts & labour	2 years
Sealed system parts	5 years




Type of appliance	Freestanding Wine Cabinet	Freestanding Wine Cabinet	Freestanding Wine Cabinet	Freestanding Wine Cabinet
Model no.	RF356RDWX1	RF306RDWX1	RF206RDWX1	RF106RDWX1
Finish	Stainless steel flat door concealed hinge			
Dimensions (excluding handles)	H1855 x W595 x D639mm	H1660 x W595 x D639mm	H1270 x W595 x D639mm	H825 x W595 x D639mm
Capacity				
Bottles [^]	144 bottles	127 bottles	83 bottles	50 bottles
Litres	356L	306L	206L	106L
Performance				
Air circulating fans	●	●	●	●
Low vibration compressor	●	●	●	●
Door lock	●	●	●	●
Door demist function	●	●	●	●
UV tempered glass door	●	●	●	●
LED lighting	●	●	●	●
Tilttable presentation shelf	1	1	1	1
Dual Zone	●	●	●	●
Temperature selectable 5-20°C	●	●	●	●
Removable solid oak shelves	7	7	5	2
Fixed shelves	2	2	2	2
Touch sensitive control panel	●	●	●	●
Warranty*				
Parts & labour	5 years	5 years	5 years	5 years
Sealed system parts	5 years	5 years	5 years	5 years

[^]Standard Bordeaux bottle




Type of appliance	Slide-in Under Bench Wine Cabinet
Model no.	RS60RDWX1
Finish	Stainless steel flat door
Dimensions (excluding handles)	H830 x W595 x D580mm
Capacity	
Bottles [^]	32 bottles
Litres	115L
Performance	
Power on/off control	●
Low vibration compressor	●
Door lock	●
Door demist function	●
UV tempered glass door	●
LED lighting	●
Dual Zone	●
Temperature selectable 5-20°C	●
Removable solid oak shelves	3
Fixed shelves	2
Touch sensitive control panel	●
Warranty*	
Parts & labour	5 years
Sealed system parts	5 years

[^]Standard Bordeaux bottle



Type of appliance	Built-in Ice & Water French Door Refrigerator	Built-in French Door Refrigerator	Bottom Freezer Integrated Refrigerator
Model no.	RS90AU1	RS90A1	RB60V18
Finish	Panel Ready (Stainless steel door set sold separately)	Panel Ready (Stainless steel door set sold separately)	Integrated
Dimensions (excluding handles)	H1797 x W896 x D610mm	H1797 x W896 x D610mm	H1773 x W540 x D544mm
Capacity (net)			
Refrigerator	349L	349L	163L
Freezer	179L	176L	62L
Total	525L	525L	225L
Total gross capacity			266L
Energy rating	A+	A+	A++
Energy usage (kWh per year)	358 kWh	358 kWh	237 kWh
Performance			
ActiveSmart™ technology	●	●	
Frost free freezer	●	●	●
Auto defrost			●
Fast freeze			●
Rapid cooling			●
Adaptive defrost	●	●	
Variable temperature drawer			●
Humidity control system	●	●	
Humidity controlled crisper bin			●
Sabbath mode	●	●	●
Refrigerator			
Ultra slim water dispenser	●		
SmartTouch control panel	●	●	
Door alarm	●	●	●
Soft-close doors	●	●	
Cantilevered shelves	●	●	
Adjustable glass shelves	3	3	3
Split glass shelf			●
Fruit and vegetable bins	2	2	●
Full width deli storage bin	●	●	
Stackable bottle holders	4	4	
Adjustable door shelves	6	6	3
Covered door shelves	2	2	
LED lighting	●	●	●
Freezer			
Fast freeze	●	●	
Bottle chill	●	●	
Built-in ice maker			
Clear plastic bins			3
Large plastic bin	●	●	
Small plastic bins	●	●	
Slide out pastry tray	●	●	
Automatic ice maker	●		
Ice bin and scoop	●		
Ice tray		2	
LED lighting	●	●	
Door alarm	●	●	
Accessories			
Water filter	Part number 839041		
Warranty*			
Parts & labour	5 years	5 years	5 years
Sealed system parts	5 years	5 years	5 years



^{*}(For further warranty information see the last page of this brochure)




Type of appliance	Ice & water French Door Refrigerator
Model no.	RF540ADUSX4
Finish	EZKleen Stainless steel flat door concealed hinge
Dimensions (excluding handles)	H1790 x W900 x D695mm
Capacity (net)	
Refrigerator	433L
Freezer	181L
Total	614L
Energy rating	A+
Energy usage (kWh per year)	440
Performance	
ActiveSmart™ technology	●
Frost free freezer	●
Adaptive defrost	●
Variable speed compressor	
Humidity control system	●
Sabbath mode	●
Refrigerator	
Ultra slim water dispenser	●
Soft-close doors	●
SmartTouch control panel	●
Door alarm	●
Adjustable glass shelves	3
Fruit and vegetable bins	2
Stackable bottle holders	4
Adjustable door shelves	6
Covered door shelves	2
LED lighting	●
Deli storage bins	2
Freezer	
Ice Boost	●
Fast freeze	●
Bottle chill	●
Built-in ice maker	●
Large plastic bin	●
Small plastic bins	2
Ice bin and scoop	●
LED lighting	●
Door alarm	●
Accessories	
Water filter	Part number 836848
Warranty*	
Parts & labour	5 years
Sealed system parts	5 years




Type of appliance	French Door Refrigerator	French Door Refrigerator
Model no.	RF610ADX4	RF522ADX4
Finish	EZKleen Stainless steel flat door concealed hinge	EZKleen Stainless steel flat door concealed hinge
Dimensions (excluding handles)	H1790 x W900 x D695mm	H1715 x W790 x D695mm
Capacity (net)		
Refrigerator	433L	360L
Freezer	181L	159L
Total	614L	519L
Energy rating	A+	A+
Energy usage (kWh per year)	437	586
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Humidity control system	●	●
Sabbath mode	●	●
Refrigerator		
SmartTouch control panel	●	●
Door alarm	●	●
Adjustable glass shelves	3	4
Fruit and vegetable bins	2	2
Stackable bottle holders	4	4
Adjustable door shelves	6	6
Covered door shelves	2	2
LED lighting	●	●
Deli storage bins	2	2
Freezer		
Fast freeze	●	●
Bottle chill	●	●
Large plastic bin	●	●
Small plastic bins	2	2
Ice tray	2	2
LED lighting	●	●
Door alarm	●	●
Warranty*		
Parts & labour	5 years	5 years
Sealed system parts	5 years	5 years



Type of appliance	French Door Refrigerator	French Door Refrigerator
Model no.	RF610ADW4	RF522ADW4
Finish	White Steel flat door concealed hinge	White Steel flat door concealed hinge
Dimensions (excluding handles)	H1790 x W900 x D695mm	H1715 x W790 x D695mm
Capacity (net)		
Refrigerator	433L	360L
Freezer	181L	159L
Total	614L	519L
Energy rating	A+	A+
Energy usage (kWh per year)	437	586
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Humidity control system	●	●
Sabbath mode	●	●
Refrigerator		
SmartTouch control panel	●	●
Door alarm	●	●
Adjustable glass shelves	3	4
Fruit and vegetable bins	2	2
Stackable bottle holders	4	4
Adjustable door shelves	6	6
Covered door shelves	2	2
LED lighting	●	●
Deli storage bins	2	2
Freezer		
Fast freeze	●	●
Bottle chill	●	●
Large plastic bin	●	●
Small plastic bins	2	2
Ice tray	2	2
LED lighting	●	●
Door alarm	●	●
Warranty*		
Parts & labour	5 years	5 years
Sealed system parts	5 years	5 years



Type of appliance	Side by Side Door Refrigerator	Side by Side Door Refrigerator	Side by Side Door Refrigerator
Model no.	RF611DUX1	RX628DX1	RX628DW1
Finish	Stainless steel flat door concealed hinge	Stainless steel flat door concealed hinge	White Steel flat door concealed hinge
Dimensions (excluding handles)	H1795 x W910 x D690mm	H1795 x W910 x D960mm	H1795 x W910 x D690mm
Capacity (net)			
Refrigerator	385L	385L	385L
Freezer	225L	243L	243L
Total	610L	628L	628L
Energy rating	A+	A+	A+
Energy usage (kWh per year)	420	449	449
Performance			
Automatic defrost	●	●	●
Frost free freezer	●	●	●
Humidity control system	●	●	●
Refrigerator			
Chill mode	●	●	●
Holiday mode	●	●	●
Adjustable glass shelves	4	4	4
Fruit and vegetable bins	2	2	2
Full width door shelves	5	5	5
Deli storage bin	●	●	●
LED lighting	●	●	●
Freezer			
Fast freeze	●	●	●
Automatic ice & water dispenser	●		
Manual twist ice maker and bin		●	●
Roll out bins	3	2	2
Adjustable glass shelves	1	3	3
Full width door shelves	3	5	5
Door alarm	●	●	●
Accessories			
Water filter	H0060823485		
Warranty*			
Parts & labour	2 years	2 years	2 years
Sealed system parts	5 years	5 years	5 years



Type of appliance	Ice & Water Door Drawer Refrigerator	Ice & Water Door Door Refrigerator
Model no.	RF522WDRUX4 RF522WDLUX4	E522BRXFDU4 E522BLXFDU4
Finish	EZKleen Stainless steel flat door concealed hinge	EZKleen Stainless steel flat door concealed hinge
Dimensions (excluding handles)	H1715 x W790 x D695mm	H1715 x W790 x D695mm
Capacity (net)		
Refrigerator	360L	360L
Freezer	159L	159L
Total	519L	519L
Energy rating	A+	A+
Energy usage (kWh per year)	570	570
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Variable speed compressor		
Humidity control system		●
Sabbath mode	●	●
Refrigerator		
Ultra slim water dispenser	●	●
SmartTouch control panel	●	●
Door alarm	●	●
Adjustable glass shelves	4	4
Fruit and vegetable bins	2	2
Stackable bottle holders	4	4
Adjustable door shelves	4	4
Covered door shelves	2	2
Egg trays		
LED lighting	●	●
Freezer		
Ice Boost	●	●
Fast freeze	●	●
Bottle chill	●	●
Built-in ice maker	●	●
Large plastic bin	●	●
Small plastic bins	2	2
Ice bin and scoop	●	●
Centre roll out tray	●	●
Door alarm	●	●
Accessories		
Water filter	Part number 836848	Part number 836848
Warranty*		
Parts & labour	5 years	5 years
Sealed system parts	5 years	5 years




Type of appliance	Ice & Water Door Door Refrigerator	Ice & Water Door Door Refrigerator
Model no.	E442BRXFDU4	E402BRXFDU4
Finish	EZKleen Stainless steel flat door concealed hinge	EZKleen Stainless steel flat door concealed hinge
Dimensions (excluding handles)	H1715 x W680 x D695mm	H1715 x W635 x D695mm
Capacity (net)		
Refrigerator	295L	272L
Freezer	97L	88L
Total	392L	360L
Energy rating	A+	A+
Energy usage (kWh per year)	338	322
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Variable speed compressor		
Humidity control system	●	●
Sabbath mode	●	●
Refrigerator		
Ultra slim water dispenser	●	●
SmartTouch control panel	●	●
Door alarm	●	●
Adjustable glass shelves	4	4
Fruit and vegetable bins	2	2
Stackable bottle holders	2	2
Adjustable door shelves	4	4
Covered door shelves	2	2
Egg trays		●
LED lighting	●	●
Freezer		
Ice Boost	●	●
Fast freeze	●	●
Bottle chill	●	●
Built-in ice maker	●	●
Large plastic bin	●	●
Small plastic bins	2	2
Ice bin and scoop	●	●
Centre roll out tray	●	●
Door alarm	●	●
Accessories		
Water filter	Part number 836850	Part number 836848
Joiner Kit	Part number 819264	Part number 819264
Stainless steel surround kit - Left	Part number 23983	Part number 23980
Stainless steel surround kit - Right	Part number 23984	Part number 23981
Stainless steel Surround Kit - joined pair	Part number 23985	Part number 23982
Warranty*		
Parts & labour	5 years	5 years
Sealed system parts	5 years	5 years



Type of appliance	Door Drawer Refrigerator	Door Door Refrigerator	Door Door Refrigerator	Door Door Refrigerator
Model no.	RF522WDRX4 RF522WDLX4	E522BRXFD4 E522BLXFD4	E442BRXFD4 E442BLXFD4	E402BRXFD4
Finish	EZKleen Stainless steel flat door concealed hinge			
Dimensions (excluding handles)	H1715 x W790 x D695mm	H1715 x W790 x D695mm	H1715 x W680 x D695mm	H1715 x W635 x D695mm
Capacity (net)				
Refrigerator	360L	360L	307L	280L
Freezer	159L	159L	135L	123L
Total	519L	519L	442L	403L
Energy rating	A+	A+	A+	A+
Energy usage (kWh per year)	540	540	525	505
Performance				
ActiveSmart™ technology	●	●	●	●
Frost free freezer	●	●	●	●
Adaptive defrost	●	●	●	●
Humidity control system	●	●	●	●
Sabbath mode	●	●	●	●
Refrigerator				
SmartTouch control panel	●	●	●	●
Door alarm	●	●	●	●
Adjustable glass shelves	4	4	4	4
Fruit and vegetable bins	2	2	2	2
Stackable bottle holders	4	4	2	2
Adjustable door shelves	4	4	4	4
Covered door shelves	2	2	2	2
LED lighting	●	●	●	●
Freezer				
Fast Freezer	●	●	●	●
Bottle Chill	●	●	●	●
Large plastic bin	2	2	2	2
Small plastic bins	2	2	2	2
Centre roll out tray	●	●	●	●
Door alarm	●	●	●	●
Warranty*				
Parts & labour	5 years	5 years	5 years	5 years
Sealed system parts	5 years	5 years	5 years	5 years



Type of appliance	Top Freezer Refrigerator	Door Door Refrigerator	Door Door Refrigerator
Model no.	RF521TRPX6 RF521TLPX6	RF522BRPX6 RF522BLPX6	RF522BRPUX6 RF522BLPUX6
Finish	EZKleen Stainless steel door	EZKleen Stainless steel door	EZKleen Stainless steel door
Dimensions (excluding handles)	H1720 x W790 x D695mm	H1720 x W790 x D695mm	H1720 x W790 x D695mm
Capacity (net)			
Refrigerator	390L	352L	352L
Freezer	97L	121L	121L
Total	487L	473L	473L
Energy rating	A+	A+	A+
Energy usage (kWh per year)	375	385	381
Performance			
ActiveSmart™ technology	●	●	●
Frost free freezer	●	●	●
Adaptive defrost	●	●	●
Humidity control system	●	●	●
Sabbath mode	●	●	●
Refrigerator			
SmartTouch control panel	●	●	●
Door alarm	●	●	●
Adjustable glass shelves	4	4	4
Fruit and vegetable bins	2	2	2
Stackable bottle holders	4	2	2
Adjustable door shelves	4	4	4
Covered door shelves	2	2	2
Egg trays			
Water filter			●
LED lighting	●	●	●
Freezer			
Fast freeze	●	●	●
Bottle chill	●	●	●
Large plastic bins	2	1	1
Small plastic bins		2	2
Centre roll out tray	●	●	●
Door alarm	●	●	●
Warranty*			
Parts & labour	5 years	5 years	5 years
Sealed system parts	5 years	5 years	5 years




Type of appliance	Door Door Refrigerator	Door Door Refrigerator
Model no.	RF402BRPX6 RF402BLPX6	RF442BRPX6 RF442BLPX6
Finish	EZKleen Stainless steel door	EZKleen Stainless steel door
Dimensions (excluding handles)	H1720 x W635 x D695mm	H1720 x W680 x D695mm
Capacity (net)		
Refrigerator	273L	296L
Freezer	91L	100L
Total	364L	396L
Energy rating	A+	A+
Energy usage (kWh per year)	385	385
Performance		
ActiveSmart™ technology	●	●
Frost free freezer	●	●
Adaptive defrost	●	●
Humidity control system	●	●
Sabbath mode	●	●
Refrigerator		
SmartTouch control panel	●	●
Door alarm	●	●
Adjustable glass shelves	4	4
Fruit and vegetable bins	2	2
Stackable bottle holders	2	2
Adjustable door shelves	4	4
Covered door shelves	2	2
Egg trays		
LED lighting	●	●
Freezer		
Fast freeze	●	●
Bottle chill	●	●
Large plastic bins	1	1
Small plastic bins	2	2
Centre roll out tray	●	●
Door alarm	●	●
Warranty*		
Parts & labour	5 years	5 years
Sealed system parts	5 years	5 years

CoolDrawer™ Multi-temperature Drawer

Model no:
RB90S64MKIW2

Dimensions	mm
Ⓐ Overall height of product	640
Ⓑ Overall width of product	855
Ⓒ Overall depth of product	557
Ⓓ Height of product front	476*
Ⓔ Width of product front	896*
Ⓕ Depth of product front (excludes handle)	18*

*Optional EZKleen Stainless steel drawer panel, alternatively door and false panel to be manufactured and fitted by cabinetmaker.



Freestanding Wine Cabinet (Flat door)

Model no:
RF356RDWX1

Dimensions	mm
Ⓐ Overall height of product (to top of hinge)	1885
Ⓑ Overall width of product	595
Ⓒ Overall depth of product (excludes handle, includes back cover)	639


Cabinetry dimensions	mm
Ⓓ Inside height of cavity	1905

Flush with refrigerator chassis	mm
Ⓔ Inside width	635
Ⓕ Inside depth	612

Flush with refrigerator door	mm
Ⓓ Inside width	635
Ⓕ Inside depth flush to flat door	669

Flush with refrigerator door - 90° rotation	mm
Ⓓ Inside width	715
Ⓕ Inside depth flush to flat door	669

Minimum clearances	mm
Ⓧ Side clearance	20
Ⓛ Side clearance - hinge side flush with door - 90° rotation	100
Ⓜ Rear clearance (including evaporator tray)	30
Ⓝ Top clearance - above wine cabinet	50
Ⓞ Vent - around top of cupboard (optional)	50
Ⓟ Door clearance - hinge side flush with chassis - full rotation	225
Ⓠ Door clearance - hinge side flush with door - full rotation	225




Freestanding Wine Cabinet (Flat door)

Model no:

RF306RDWX1

Dimensions	mm
Ⓐ Overall height of product (to top of hinge)	1660
Ⓑ Overall width of product	595
Ⓒ Overall depth of product (excludes handle, includes back cover)	639
Cabinetry dimensions	
Ⓢ Inside height of cavity	1710
Flush with refrigerator chassis	
ⓐ Inside width	635
ⓑ Inside depth	612
Flush with refrigerator door	
ⓐ Inside width	635
ⓑ Inside depth flush to flat door	669
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	715
ⓑ Inside depth flush to flat door	669
Minimum clearances	
Ⓜ Side clearance	20
Ⓛ Side clearance - hinge side flush with door - 90° rotation	100
Ⓝ Rear clearance (including evaporator tray)	30
Ⓞ Top clearance - above wine cabinet	50
Ⓟ Vent - around top of cupboard (optional)	50
Ⓟ Door clearance - hinge side flush with chassis - full rotation	225
Ⓟ Door clearance - hinge side flush with door - full rotation	225




Freestanding Wine Cabinet (Flat door)

Model no:

RF206RDWX1

Dimensions	mm
Ⓐ Overall height of product (to top of hinge)	1270
Ⓑ Overall width of product	595
Ⓒ Overall depth of product (excludes handle, includes back cover)	639
Cabinetry dimensions	
Ⓢ Inside height of cavity	1320
Flush with refrigerator chassis	
ⓐ Inside width	635
ⓑ Inside depth	612
Flush with refrigerator door	
ⓐ Inside width	635
ⓑ Inside depth flush to flat door	669
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	715
ⓑ Inside depth flush to flat door	669
Minimum clearances	
Ⓜ Side clearance	20
Ⓛ Side clearance - hinge side flush with door - 90° rotation	100
Ⓝ Rear clearance (including evaporator tray)	30
Ⓞ Top clearance - above wine cabinet	50
Ⓟ Vent - around top of cupboard (optional)	50
Ⓟ Door clearance - hinge side flush with chassis - full rotation	225
Ⓟ Door clearance - hinge side flush with door - full rotation	225




Freestanding Wine Cabinet (Flat door)

Model no:

RF106RDWX1

Dimensions	mm
Ⓐ Overall height of product (to top of hinge)	825
Ⓑ Overall width of product	595
Ⓒ Overall depth of product (excludes handle, includes back cover)	639
Cabinetry dimensions	
Ⓢ Inside height of cavity	875
Flush with refrigerator chassis	
ⓐ Inside width	635
ⓑ Inside depth	612
Flush with refrigerator door	
ⓐ Inside width	635
ⓑ Inside depth flush to flat door	669
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	715
ⓑ Inside depth flush to flat door	669
Minimum clearances	
Ⓜ Side clearance	20
Ⓛ Side clearance - hinge side flush with door - 90° rotation	100
Ⓝ Rear clearance (including evaporator tray)	30
Ⓞ Top clearance - above wine cabinet	50
Ⓟ Vent - around top of cupboard (optional)	50
Ⓟ Door clearance - hinge side flush with chassis - full rotation	225
Ⓟ Door clearance - hinge side flush with door - full rotation	225




Slide-in Under Bench Wine Cabinet (Flat door)

Model no:

RS60RDWX1

Dimensions	mm
Ⓐ Overall height of product (to top of hinge)	830
Ⓑ Overall width of product	595
Ⓒ Overall depth of product (excludes handle, includes back cover)	580
Cabinetry dimensions	
Ⓢ Inside height of cavity	835
Flush with refrigerator chassis	
ⓐ Inside width	600
ⓑ Inside depth	595
Flush with refrigerator door	
ⓐ Inside width	600
ⓑ Inside depth flush to flat door	600
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	688
ⓑ Inside depth flush to flat door	600
Minimum clearances	
Ⓜ Side clearance	2.5
Ⓛ Side clearance - hinge side flush with door - 90° rotation	90.5
Ⓝ Rear clearance (including evaporator tray)	20
Ⓞ Top clearance - above wine cabinet	5
Ⓟ Door clearance - hinge side flush with chassis - full rotation	155
Ⓟ Door clearance - hinge side flush with door - full rotation	225



Built-in Ice & Water French Door Refrigerator (Flat door)


Model no:

RS90AU1 (Ice & Water), **RS90A1**

Cavity dimensions	mm
Ⓐ Overall height of cavity	1800
Ⓑ Overall width of cavity when adjoining cabinetry can share 4mm door gap when adjoining cabinetry cannot share 4mm door gap.	900 904
Ⓒ Overall depth of cavity	650
Total front panel width required gaps at sides =904mm (Ⓒ product width + 2 x Ⓓ cabinetry gaps) Height of front panels with required gap above = 1802mm (Ⓒ product height + Ⓓ cabinetry gap)	

Product dimensions	mm
Ⓓ Overall height of product (includes mounted feet)	1798
Ⓔ Overall width of product	896
Ⓕ Minimum cabinetry gap clearance from edge of product	4
Ⓖ Overall depth of product (excl. front door panels)	606
Ⓗ Depth of toe-kick (measured from front of door panels)	50
Ⓙ Height of grill/toe-kick (includes mounted feet)	100
Ⓚ Height of bottom drawer panel	598
Ⓛ Height of top door panels	1096
Ⓜ Depth of product front panels (excludes handles)***	18

Door clearance dimensions	mm
Ⓝ Depth of door (widest opening) measured from front of door	445
Ⓞ Depth of drawer (open) measured from front of drawer ^	400
Ⓟ Depth of drawer (open) measured from front of drawer *	360
Ⓠ Minimum door clearance to adjacent wall *	300
Ⓡ Minimum door clearance to adjacent wall **	100
Ⓢ Door clearance - hinge side flush with door - full rotation	225



RS90AU1 Ice & Water: Part No. RD90U
RS90A1: Part No. RD90

French Door Refrigerator (Flat door)

Model no:

RF540ADUSX4 (Ice & Water), **RF610ADX4**, **RF610ADW4**

Dimensions	mm
Ⓐ Overall height of product	1790
Ⓑ Overall width of product	900
Ⓒ Overall depth of product (excludes handle and evaporator)	695


Cabinetry dimensions	mm
Ⓓ Inside height of cavity	1810

Flush with refrigerator chassis	mm
Ⓔ Inside width	640
Ⓕ Inside depth	620

Flush with refrigerator door	mm
Ⓖ Inside width	1170
Ⓗ Inside depth flush to flat door	695

Flush with refrigerator door - 90° rotation	mm
Ⓙ Inside width	1125
Ⓚ Inside depth flush to flat door	695

Minimum clearances	mm
Ⓝ Side clearance	20
Ⓞ Side clearance - hinge side flush with door - full rotation	135
Ⓟ Side clearance - hinge side flush with door - 90° rotation	90
Ⓠ Rear clearance - (including evaporator tray)	30
Ⓡ Vent - (above refrigerator cabinet or around top of cupboard)	50
Ⓢ Door clearance - hinge side flush with chassis - full rotation	365
Ⓣ Door clearance - hinge side flush with door - full rotation	250



French Door Refrigerator (Flat door)

Model no:

RF522ADX4, **RF522ADW4**

Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle and evaporator)	695

Cabinetry dimensions	mm
Ⓓ Inside height of cavity	1735

Flush with refrigerator chassis	mm
Ⓔ Inside width	830
Ⓕ Inside depth	620

Flush with refrigerator door	mm
Ⓖ Inside width	1060
Ⓗ Inside depth flush to flat door	695

Flush with refrigerator door - 90° rotation	mm
Ⓙ Inside width	1015
Ⓚ Inside depth flush to flat door	695

Minimum clearances	mm
Ⓝ Side clearance	20
Ⓞ Side clearance - hinge side flush with door - full rotation	135
Ⓟ Side clearance - hinge side flush with door - 90° rotation	90
Ⓠ Rear clearance (including evaporator tray)	30
Ⓡ Vent (above refrigerator cabinet or around top of cupboard)	50
Ⓢ Door clearance - hinge side flush with chassis - full rotation	325
Ⓣ Door clearance - hinge side flush with door - full rotation	210

Side By Side Door Refrigerator (Flat door)

Model no:

RX611DUX1 (Ice & water), **RX628DX1**, **RX628DW1**

Dimensions	mm
Ⓐ Overall height of product	1795
Ⓑ Overall width of product	901
Ⓒ Overall depth of product (excludes handle, includes evaporator)	690



Cabinetry dimensions	mm
Ⓓ Inside height of cavity	1845
Ⓔ Inside width	941
Ⓕ Inside depth	635

Flush with refrigerator chassis	mm
Ⓔ Inside width	941
Ⓕ Inside depth	635

Flush with refrigerator door	mm
Ⓖ Inside width	1170
Ⓗ Inside depth flush to flat door	695

Flush with refrigerator door - 90° rotation	mm
Ⓙ Inside width	1125
Ⓚ Inside depth flush to flat door	695


Minimum clearances	mm
Ⓝ Side clearance	20
Ⓞ Rear clearance	30
Ⓢ Door clearance - hinge side flush with chassis - full rotation	460
Ⓣ Door clearance - hinge side flush with door - full rotation	365



Door Drawer Refrigerator (Flat door)

Model no:
RF522WDRUX4, RF522WDLUX4 (Ice & Water),
RF522WDRX4, RF522WDLX4


Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handles and evaporator)	695
Cabinetry dimensions	
ⓐ Inside height of cavity	1735
Flush with refrigerator chassis	
ⓐ Inside width	830
ⓑ Inside depth	620
Flush with refrigerator door	
ⓐ Inside width	945
ⓑ Inside depth flush to flat door	695
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	900
ⓑ Inside depth flush to flat door	695
Minimum clearances	
ⓐ Side clearance	20
ⓑ Side clearance - hinge side flush with door - full rotation	135
ⓑ Side clearance - hinge side flush with door - 90° rotation	90
ⓐ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓐ Door clearance - hinge side flush with chassis - full rotation	645
ⓐ Door clearance - hinge side flush with door - full rotation	530



Door Refrigerator (Flat Door)

Model no:
R522BRXFUDU4, E522BRXFUDU4,
E522BLXFUDU4 (Ice & Water), **E522BRXFD4, E522BLXFD4**


Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (excludes handle and evaporator)	695
Cabinetry dimensions	
ⓐ Inside height of cavity	1735
Flush with refrigerator chassis	
ⓐ Inside width	830
ⓑ Inside depth	620
Flush with refrigerator door	
ⓐ Inside width	945
ⓑ Inside depth flush to flat door	695
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	900
ⓑ Inside depth flush to flat door	695
Minimum clearances	
ⓐ Side clearance	20
ⓐ Side clearance - hinge side flush with door - full rotation	135
ⓐ Side clearance - hinge side flush with door - 90° rotation	90
ⓐ Rear clearance - (including evaporator tray)	30
ⓐ Vent - (above refrigerator cabinet or around top of cupboard)	50
ⓐ Door clearance - hinge side flush with chassis - full rotation	645
ⓐ Door clearance - hinge side flush with door - full rotation	530



Door Refrigerator (Flat Door)

Model no:
E442BRXFUDU4 (Ice & Water), **E442BLXFUDU4, E442BLXFD4,**
E442BRWFD4, E442BRXFD4

Dimensions	mm
Ⓐ Overall height of product	1715
Ⓑ Overall width of product	680
Ⓒ Overall depth of product (excludes handle, includes evaporator)	695
Cabinetry dimensions	
ⓐ Inside height of cavity	1735
Flush with refrigerator chassis	
ⓐ Inside width	720
ⓑ Inside depth	620
Flush with refrigerator door	
ⓐ Inside width	835
ⓑ Inside depth flush to flat door	695
Flush with refrigerator door - 90° rotation	
ⓐ Inside width	790
ⓑ Inside depth flush to curved door	695
Minimum clearances	
ⓐ Side clearance	20
ⓐ Side clearance - hinge side flush with door - full rotation	135
ⓐ Side clearance - hinge side flush with door - 90° rotation	90
ⓐ Rear clearance (including evaporator tray)	30
ⓐ Vent (above refrigerator cabinet or around top of cupboard)	50
ⓐ Door clearance - hinge side flush with chassis - full rotation	555
ⓐ Door clearance - hinge side flush with door - full rotation	440




Integrated Door Refrigerator

Model no:

RB60V1B

Dimensions	mm
Ⓐ Overall height of product	1773
Ⓑ Overall width of product	555
Ⓒ Overall depth of product (includes condenser and door brackets)	540*

*Does not include door panels to be manufactured and fitted by cabinetmaker.



790mm Recessed Handle Door Door Refrigerator

Model no:

RF522BRPX6, RF522BLPX6

Dimensions	mm
Ⓐ Overall height of product	1720
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (includes condenser and door brackets)	695



790mm Recessed Handle Top Freezer Refrigerator

Model no:

RF521TRPX6, RF521TLPX6

Dimensions	mm
Ⓐ Overall height of product	1720
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (includes condenser and door brackets)	695



790mm Recessed handle Door Door Refrigerator (Ice & Water)

Model no:

RF522BRPUX6, RF522BLPUX6

Dimensions	mm
Ⓐ Overall height of product	1720
Ⓑ Overall width of product	790
Ⓒ Overall depth of product (includes condenser and door brackets)	695




635mm Recessed Handle Door Refrigerator

Model no:

RF402BRPX6, RF402BLPX6

Dimensions	mm
Ⓐ Overall height of product	1720
Ⓑ Overall width of product	635
Ⓒ Overall depth of product (includes condenser and door brackets)	695




680mm Recessed Handle Door Refrigerator

Model no:

RF442BRPX6, RF442BLPX6




Dimensions	mm
Ⓐ Overall height of product	1720
Ⓑ Overall width of product	680
Ⓒ Overall depth of product (includes condenser and door brackets)	695




CLEAN




Type of appliance	Tall DishDrawer™ Dishwasher DD60SDFHTX7	Tall DishDrawer™ Dishwasher DD60SHTI7
Model no.	DD60SDFHTX7	DD60SHTI7
Finish	EZKleen Stainless steel flat door	Integrated (apply your own cabinetry façade)
Dimensions (excluding handles)	H478 x W599 x D571mm	H478 x W599 x D569-573mm
Energy rating	A	A
Energy usage	134kWh per year	134kWh per year
Water usage	8.7L per wash cycle	6.7L per wash cycle
Performance		
SmartDrive™ technology	●	●
Water level sensing	●	●
Flow through detergent dispenser	●	●
Quiet operation	●	●
Fan assisted drying	●	●
Capacity and loading		
Place settings per drawer	6	6
Flexible racking system	●	●
Fold down and pitch	●	●
Adjustable tines	●	●
Adjustable racks and cup racks	●	●
Accommodates long stemmed glasses	●	●
Accommodates plates up to	330mm	330mm
Wash programs		
Wash programs	9	9
Heavy	●	●
Heavy Extra Dry		
Heavy Sanitize		
Heavy Quick		
Heavy ECO	●	●
Normal	●	●
Normal Extra Dry		
Normal Sanitize		
Normal Quick		
Normal ECO	●	●
Fast	●	●
Fast ECO	●	●
Fast Extra Dry		
Delicate	●	●
Delicate ECO	●	●
Delicate Extra Dry		
Delicate Quick		
Rinse	●	●
Safety		
Three stage total flood protection	●	●
Controls		
Concealed control panels with single touch programming	●	●
Key lock	●	●
Child lock	●	●
End of cycle beeps	●	●
One button start	●	●
Energy saving delay start option of up to 12 hours	●	●
Rinse aid indicator light and lens	●	●
Electronic fault/Diagnostic indicator	●	●
AMP draw	4.5A	4.5A
Accessories		
Cutlery basket	●	●
Knife clip	2	2
Warranty*	5 years	5 years



Type of appliance	Double DishDrawer™ Dishwasher	Double DishDrawer™ Dishwasher	Double DishDrawer™ Dishwasher	Double DishDrawer™ Dishwasher
Model no.	DD60DAH9, DD60AHB9, DD60DAH9	DD60DDFH7	DD60DIH7	DD60DCH9, DD60DCHW9, DD60DCHB9
Finish	EZKleen Stainless steel, White finish, Black finish	EZKleen Stainless steel flat door	Integrated (apply your own cabinetry façade)	EZKleen Stainless steel, White finish, Black finish
Dimensions (excluding handles)	H820-880 x W599 x D573mm	H820-880 x W599 x D571mm	H820-880 x W599 x D569-573mm	H820-880 x W599 x D573mm
Energy rating	A	A	A	A
Energy usage	187kWh per year	187kWh per year	187kWh per year	187kWh per year
Water usage	6.7L per wash cycle	6.7L per wash cycle	6.7L per wash cycle	6.7L per wash cycle
Performance				
SmartDrive™ technology	●	●	●	●
Water level sensing	●	●	●	●
Flow through detergent dispenser	●	●	●	●
Quiet operation	●	●	●	●
Fan assisted drying	●	●	●	●
Capacity and loading				
Place settings per drawer	6	6	6	6
Flexible racking system		●	●	
Fold down and pitch adjustable		●	●	●
Fold down tines	●			●
Adjustable racks and cup racks		●	●	
Fixed height, foldable cup racks	●			
Accommodates long stemmed glasses		●	●	●
Accommodates plates up to	290mm	290mm	290mm	290mm
Wash programs				
Wash programs	6	9	9	15
Heavy	●	●	●	●
Heavy Extra Dry				●
Heavy Sanitize				●
Heavy Quick				●
Heavy ECO		●	●	●
Normal	●	●	●	●
Normal Extra Dry				●
Normal Sanitize				●
Normal Quick				●
Normal ECO	●	●	●	●
Fast	●	●	●	●
Fast ECO		●	●	●
Fast Extra Dry				●
Delicate	●	●	●	●
Delicate ECO		●	●	●
Delicate Extra Dry				●
Delicate Quick				●
Rinse	●	●	●	●
Safety				
Three stage total flood protection	●	●	●	●
Controls				
Key lock		●		●
Child safety lock	●	●	●	●
End of cycle beeps	●	●	●	●
Energy saving delay start option of up to 12 hours	●	●	●	●
Rinse aid indicator light and lens	●	●	●	●
Electronic fault/Diagnostic indicator	●	●	●	●
AMP draw	8.5A	9A	9A	8.5A
Accessories				
Cutlery basket	2	2	2	2
Knife clip		4	4	4
Kickstrip	●	●	●	●
Warranty*	2 years	5 years	5 years	5 years



Type of appliance	Single DishDrawer™ Dishwasher	Single DishDrawer™ Dishwasher
Model no.	DD60SDFHX7	DD60SHTI7
Finish	EZKleen Stainless steel flat door	Integrated (apply your own cabinetry façade)
Dimensions (excluding handles)	H478 x W599 x D571mm	H478 x W599 x D569-573mm
Energy rating	A	A
Energy usage	134kWh per year	43dBA
Water usage	8.7L per wash cycle	8.7L per wash cycle
Performance		
SmartDrive™ technology	●	●
Water level sensing	●	●
Flow through detergent dispenser	●	●
Quiet operation	●	●
Fan assisted drying	●	●
Capacity and loading		
Place settings per drawer	6	6
Flexible racking system	●	●
Fold down and pitch adjustable tines	●	●
Adjustable racks and cup racks	●	●
Accommodates long stemmed glasses	●	●
Accommodates plates up to	330mm	330mm
Wash programs		
Wash programs	9	9
Heavy	●	●
Heavy Extra Dry		●
Heavy Sanitize		●
Heavy Quick		●
Heavy ECO	●	●
Normal	●	●
Normal Extra Dry		●
Normal Sanitize		●
Normal Quick		●
Normal ECO	●	●
Fast	●	●
Fast ECO	●	●
Fast Extra Dry		●
Delicate	●	●
Delicate ECO	●	●
Delicate Extra Dry		●
Delicate Quick		●
Rinse	●	●
Safety		
Three stage total flood protection	●	●
Controls		
Concealed control panels with single touch programming	●	●
Key lock	●	
Child lock	●	●
End of cycle beeps	●	●
One button start	●	●
Energy saving delay start option of up to 12 hours	●	●
Rinse aid indicator light and lens	●	●
Electronic fault/Diagnostic indicator	●	●
AMP draw	4.5A	4.5A
Accessories		
Cutlery basket	●	●
Knife clip	2	2
Warranty*	5 years	5 years




Type of appliance	Dishwasher	Dishwasher
Model no.	DD60SAHX9	DD60SCTX9
Finish	Stainless steel	Stainless steel
Dimensions (excluding handles)	H410 x W599 x D573mm	H454 x W598 x D569-612mm
Energy rating	A	A
Energy usage	230kWh per year	230kWh per year
Water usage	10.0L per wash	10.0L per wash
Noise level	44 dBA	44 dBA
Performance		
Variable wash pressure technology	●	●
ThermoDry system	●	●
Three-stage filtration system	●	●
Capacity and loading		
Place settings	6	6
Fold down tines	●	●
Easy lift for adjusting upper basket	●	●
Height adjustable top basket	●	●
Cup racks	●	●
Wine glass support	●	●
Handy multi purpose utensil tray	●	●
Accommodates most plates up to	290mm	330mm
Wash programs		
Wash programs	6	15
Heavy	●	●
Heavy Extra Dry		●
Heavy Sanitize		●
Heavy Quick		●
Heavy ECO		●
Normal	●	●
Normal Extra Dry		●
Normal Sanitize		●
Normal Quick		●
Normal ECO	●	●
Fast	●	●
Fast ECO		●
Fast Extra Dry		●
Delicate	●	●
Delicate ECO		●
Delicate Extra Dry		●
Delicate Quick		●
Rinse	●	●
Safety		
Counter balanced door	●	●
Dual mode flood protection	●	●
Controls		
LED display	●	●
End of cycle beeps (can be turned off)	●	●
Energy saving delay start option of up to 12 hours	●	●
Wash progress and time remaining display	●	●
Rinse aid indicator light and lens	●	●
Half load option both top and lower levels	●	●
Intensive Zone	●	●
Key lock	●	●
AMP draw	10A	10A
Accessories		
Cutlery basket	●	●
Warranty*	2 years	5 years

Tall DishDrawer™ Dishwasher

Model no:
DD60SDFHTX7

Dimensions	mm
Ⓐ Overall height of product	478
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis	571




Tall DishDrawer™ Dishwasher

Model no:
DD60STH17

Dimensions	mm
Ⓐ Overall height of product	478
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	16 -20
Ⓓ Depth of product chassis	553

Door panel to be manufactured and fitted by cabinetmaker.




Double DishDrawer™ Dishwasher

Model no:
DD60DFHX7

Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 880
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis	573

*Door panel to be manufactured and fitted by cabinetmaker.
*You may choose to install Tall Height Integrated models into either a 458 or a 480mm high cavity. Note: the minimum height of the custom drawer front panel will also be different for these options.




Double DishDrawer™ Dishwasher

Model no:
DD60DH17

Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 880
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	16 - 20*
Ⓓ Depth of product chassis	573

*Door panel to be manufactured and fitted by cabinetmaker.




Double DishDrawer™ Dishwasher

Model no:
DD60DCHX9, DD60DCHW9, DD60DCHB9

Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 880
Ⓑ Overall width of product	597
Ⓒ Depth of product front measured at edge of door	20
Ⓓ Depth of product chassis	573


*Product front varies along the curve to a depth of 29mm.



Double DishDrawer™ Dishwasher

Model no:
DD60DAH9, B9, W9


Dimensions	mm
Ⓐ Overall height of product	min. 820 - max. 880
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	16 - 20
Ⓓ Depth of product chassis	573



Single DishDrawer™ Dishwasher

Model no:
DD60SDFHX7

Dimensions	mm
Ⓐ Overall height of product	410
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	18
Ⓓ Depth of product chassis (does not include oven front)	553




Single DishDrawer™ Dishwasher

Model no:
DD60SHI7

Dimensions	mm
Ⓐ Overall height of product	410
Ⓑ Overall width of product	599
Ⓒ Depth of product front measured at edge of door	16 - 20*
Ⓓ Depth of product chassis	553


*Door panel to be manufactured and fitted by cabinetmaker.



Single DishDrawer™ Dishwasher

Model no:
DD60SAHX9


Dimensions	mm
Ⓐ Overall height of product	410
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	20
Ⓓ Depth of product chassis (does not include oven front)	573



Single DishDrawer™ Tall Dishwasher




Model no:
DD60SCTHX9

Dimensions	mm
Ⓐ Overall height of product	454
Ⓑ Overall width of product	599
Ⓒ Depth of product front (excludes handle)	20
Ⓓ Depth of product chassis	573



LAUNDRY

CLEAN



Type of appliance	9.0kg Front Load Washer	9.0kg Front Load Washer	8.0kg Front Load Washer
Model no.	WM1490F1	WM1490P1	WM1480P1
Finish	White	White	White
Dimensions (excluding handles)	H850 x W600 x D620mm	H850 x W600 x D620mm	H850 x W600 x D570mm
Capacity (dry load)	9.0kg	9.0kg	8.0kg
Energy rating	A+++ -20%	A+++ -20%	A+++ -10%
Annual Energy Consumption	150 kWh/annum	150kWh/annum	165kWh/annum
Annual Water Consumption	9200/annum	9200/annum	9500/annum
Water Consumption l/cycle	61L	73L	73L
Performance			
SmartDrive™	●	●	●
Vortex Wash	●	●	●
Wash Profile	16	14	14
Spin speeds	4	4	4
Max spin speed	1400 rpm	1400 rpm	1400 rpm
Detergent	High efficiency	High efficiency	High efficiency
Wash cycles			
Cotton	●	●	●
Everyday	●	●	●
Heavy	●	●	●
Delicate	●	●	●
Synthetics	●	●	●
Easy Iron	●	●	●
Bulky	●	●	●
Allergy	●	●	●
Wool	●	●	●
Sports	●		
Handwash		●	●
Quick		●	●
Super Quick	●	●	●
Drum Clean	●	●	●
Rinse	●	●	●
Spin	●	●	●
Wash features			
Time Saver	1		
Interior Light	1		
Water temperature controls	5	5	5
Soil Level		3	3
Add a garment (immediate door open)	●	●	●
Soak	●		
Extra rinse option	●	●	●
Pre Wash	●	●	●
No spin/Spin hold	●	●	●
Eco rinse	●	●	●
Wrinkle Free	●	●	●
Time to go	●	●	●
Delay start	●	●	●
Customise cycle	●	●	●
Anti-fungal door gasket	●	●	●
Keylock	●	●	●
Auto out of balance correction	●	●	●
Excess foam detection	●	●	●
Flood protection	●	●	●
Timed Liquid Detergent dispenser	●	●	●
Door and Gasket Flushing	●		
Hot and cold water inlets	●	●	●
Warranty*			
Parts & labour	5 years	5 years	5 years
Direct Drive Motor (Parts only)	5 + (5 years)	5 + (5 years)	5 + (5 years)

FPBR0438 February 2017/18.
 Copyright © Fisher & Paykel 2017/18.
 All Rights Reserved.

The product dimensions and specifications in this brochure apply to the specific products and models described at the date of issue. Under our policy of continuous product improvement, these dimensions and specifications may change at any time. You should therefore check with your dealer or Fisher & Paykel's Customer Care Centre to ensure this brochure correctly describes the products currently available.

You automatically receive a 2 or 5 year Manufacturer's Warranty with the purchase of a Product covering parts and labour for servicing within the country of purchase. Our products are only intended for normal domestic use in accordance with the Product's User Guide. Any defects arising from any other use are not covered.

Important Notice of Disclaimer: Our brochure contains information on a wide subject of products which we manufacture and/or sell internationally. Some particular products, models or sizes which are detailed in this brochure may not be available for sale and purchase in your area or country, if available the product may have different options to those depicted in the brochure. Before agreeing to purchase a particular product by reference to this brochure please check its availability and accuracy of its description.

United Kingdom
 Fisher & Paykel Appliances Limited
 Maidstone Road, Kingston, Milton Keynes
 Buckinghamshire,
 MK10 0BD, United Kingdom
 Sales & Marketing Tel: 08000 886 601
 Email: sales@fisherpaykel.co.uk

Ireland
 Fisher & Paykel Appliances
 Unit D2, North Dublin Corporate Park
 Swords, Co. Dublin, Ireland
 Office Tel: +353 (1) 807 7960
 Office Fax: +353 (1) 807 7961
 Sales & Marketing Tel: 1800 625 173
 Email: sales@fisherpaykel.ie

Europe
 Fisher & Paykel Appliances is available in certain European countries only. To find a local provider in your country please visit www.fisherpaykel.eu or Email: europe@fp.co.nz



CUSTOMER CARE
CALL 24 HOURS A DAY, 7 DAYS A WEEK.

Fisher & Paykel has a 24 hour enquiry service that allows customers to speak to a real person about any questions they might have about their products. Our Customer Care Representatives can offer advice on which appliance will best suit their needs, and provide extensive product knowledge on how to use a current Fisher & Paykel product. They can also arrange for a qualified service technician to install selected products and advise consumers where their nearest Fisher & Paykel stockist can be found. Nobody is better qualified to install, service and repair your Fisher & Paykel household appliance than our network of specially trained service technicians.

United Kingdom

T +44 (0)8000 886 601 **E** sales@fisherpaykel.co.uk
T +44 (0)8000 886 605 **E** ccc.ukcustomercare@fisherpaykel.com

Ireland

T +353 (1)800 625 173 **E** sales@fisherpaykel.ie
T +353 (1)807 7960 **E** service@fisherpaykel.ie

Fisher & Paykel

fisherpaykel.com